CCA guard porter



- dimensions 79 (wi) x 217 (hi) x 50 (de) mm
- surface mounting
- selection of melodies, volume and tones
- controls multi-flat y multi-block
- management of "missed calls"

- DING DONG
- external functions (lights, garage, etc...)
- AUDIO HD system
- self-starting function
- INTERCOM between guard porter units

Functioning

adjust of the calling volume

To adjust the volume of the call, insert a clip or similar through the indicated hole and press with it lightly.

The phone has two volume levels (MEDIUM and HIGH)

melody selection

To select a ring tone, you have to pick up the handset and press the hang switch with your finger. With it pressed, a clip or similar must be inserted in the indicated hole and press with it lightly.

Each press selects a different melody from 7 ones available.

icons and its meaning

Below are the icons that the guard porter can show and its meaning.



management menus

Below there are detailed the different menus available at the guard porter.







Functioning

call and conversation

When a call is received from the entrance panel, the guard porter starts to sound for a maximum of 30 seconds (**see operating modes**). As standard, it performs 4 rings with intervals of 4 seconds between each of them.

The control panel will show information about the user to whom the call is being made and the panel ID number from which it is being called. The user can open directly, by pressing the button _____, or pick up the handset to establish a conversation. The conversation has a maximum of 90 seconds.

self-starting

Pressing the button the user can establish communication with the last STREET PANEL from which a call has been received, if there is more than one. The system will allow its opening by pressing the button

call to a flat

If you want to make a call to any home in the database, you must pick up the handset. The display will turn on automatically, the user will dial the call code directly $(1 \ 2 \ 3 \ 4 \ 5 \ 6 \ 7 \ 8 \ 9 \ 0$ and subsequently $(1 \ 2 \ 3 \ 4 \ 5 \ 6 \ 7 \ 8 \ 9 \ 0)$

call to another guard porter

By picking up the handset and pressing the button _____, the symbol _____ will appear, introducing the central number (1 (2) (3) (4) (5) (6) (7) (8) (9) (0) and by pressing (10), the user will be able to establish communication with any other guard porter that he wishes in the installation.

management of missed calls of flats

If the guard porter is in standby, the status LED flashes, it means that there are missed calls unmanaged. To access the call queue, press O $\rule{O} \\ O$ \rule{O}

transfer a call / make a query

When a call is received from a panel, the user can see all the information of said call on the screen. From which access is being called, to whom the call is directed ... Once attended, the user can directly transfer the call to a house by pressing the button **(W)**. When the call is transferred, the guard porter loses control of the call, changing to "Busy line" mode.

The system also allows, instead of directly transferring the call to the flat, that the user can make a query and check if they want to answer the call by pressing C. If you want to answer the call at home, you must press the button C on your monitor / phone. The control panel will switch to "Busy line" mode. If, on the other hand, the flat does not want to answer the call, they will hang up the handset and the user will press the button C on the guard porter to communicate with the external panel again.

