



GENERAL CATALOG
2017

auta





OUR COM PANY

auta





AUTA IN THE WORLD

auta

AUTA is a Spanish company founded in 1966. With more than 35 years of experience has become one the most important European manufacturer of audio and video door entry systems. AUTA is present in more than 40 countries around the world where AUTA trademark is synonymous of Advanced Technology, flexibility and reliability.



INDEX

06	COMPACT DOOR ENTRY PANELS
08	STAINLESS STEEL DOOR ENTRY PANELS
10	AVANT MONITORS
12	SLIM MONITORS
14	COMPACT MONITORS & HANDSETS
16	PORTER SWITCHBOARD
18	SYSTEMS TABLE OF COMPATIBILITY
19	COMPACT DOOR ENTRY PANELS
29	STAINLESS STEEL DOOR ENTRY PANELS
36	2 WIRES SYSTEM
40	VISUALTECH SYSTEM
46	PLUG & PLAY / ISO PLUG & PLAY SYSTEMS
52	COAX/COAXLESS SYSTEMS
60	INTERCOM SYSTEM
69	CONVENTIONAL (ANALOG) SYSTEM
72	KITS
82	DOOR-OPENER
84	SPARE
88	GENERAL CONDITIONS



THE EVOLUTION

SERIES COMPACT

Door entry panels that reflect the evolution of the design and give the space a unique style. Its elegant and modern design adopts soft shapes with excellent anodized aluminum finishes that provide an ideal solution for every level of demand.



Series 1



Series 2



Series 3



Series 4



Series 4



- Anodized aluminum
- Quality and resistance
- Semi-modulars
- 5 sizes
- Versatile: audio, audio/video & access control
- Surface or flush mounted
- Maximum benefits



DESIGN & STEEL

SERIES

STAINLESS STEEL

The STAINLESS STEEL series of Auta is presented in the form of solid and elegant designs that seek the highest levels of quality and functionality. Door entry panels made of 2.5 mm thick stainless steel with safety screws and fully sealed steel push buttons IP-65.



Series 1



Series 3



Series 3



Series 5



Series 4



- Stainless Steel
- IP-65 push-buttons
- Robustness and durability
- 5 sizes
- Maximum benefits
- Customizable in size and distribution of push buttons



OPEN YOUR SENSES

MONITOR AVANT

Its technological innovation, its cutting-edge design, its high level of performance and its small size make the AUTA AVANT monitor the indispensable complement for homes of the 21st century.

Tactile buttons, front panels in different finishes and high definition TFT / LCD and size 5.6" make the AVANT monitor the clearest technological and aesthetic exponent capable of opening your senses to new sensations.



Black



White



Steel



High-end handsfree monitor

■ **Extra flat design**

(178 x 142 x 27 mm.) surface
(178 x 142 x 6 mm.) flush

■ **Handsfree**

■ **Large 5,6" LCD screen**

■ **Touch technology**





NEW

NEW MONITOR SLIM


The latest release from AUTA. The new SLIM monitor combines the values of Technology, Economy, Simplicity and Design like no other. Color LCD screen, hands-free communication system, touch technology and the option of surface or flush installation. Its attractive and

avant-garde extra-flat design with two colors to choose, white or black, allow its placement in any environment, whatever, its decoration or style.

NEW Monitor SLIM of Auta.
A safe bet



White



Black

Handsfree monitor

- **Extra flat design**

(178 x 146 x 30 mm.) surface
(178 x 146 x 7 mm.) flush

- **Handsfree**

- **Large panoramic 4,3" LCD screen**

- **Touch technology**



MONITOR COMPACT



MONITOR
COMPACT



MONITOR
COMPACT
SILVER



MONITOR
COMPACT
INTERCOM

HANDSET COMPACT



HANDSET
COMPACT



HANDSET
COMPACT
SILVER



HANDSET-
COMPACT
INTERCOM



Technology and functionality with an elegant and compact style that impresses with its elegance and soft lines. TFT color. Surface mounted. Available in white and silver color. Possibility of intercommunication up to 15 units WITH door entry panel or up to 63 intercom phones WITHOUT door entry panel (ideal for offices).

- Sequential Self-starting
- Multi entry panel & CCTV management



PORTER SWITCHBOARD

Master the information.
Have control in your hands

With the new AUTA porter switchboard you will have an advanced communication tool, capable of always maintaining the highest levels of information to act in the most efficient manner in each situation.



PORTER SWITCHBOARD
Audio/Video

DIMENSIONS:
19,5 x 23 x 5cm.

TFT color screen
O.S.D. technology














PORTER SWITCHBOARD
Audio

DIMENSIONS:
8,5 x 23 x 5cm.



- Several units in the same installation
- Various modes of operation
- Interception, monitoring, and detour of calls
- “Missed calls” function with memorization of the last 25 calls
- Management multi-plate, multi-building and CCTV
- Communication:
Porter> Entry panel / Porter> Flat /
Entry panel> Flat / Porter> Porter

SYSTEMS TABLE OF COMPATIBILITIES

			SYSTEM				
			2 WIRES	VISUALTECH	P&P / ISO P&P	COAX / COAXLESS	4+N
	PANEL COMPACT	FLUSH SURFACE AUDIO AUDIO/VIDEO	●	●	●	●	●
	PANEL COMPACT ALPHA-NUMERIC	FLUSH SURFACE AUDIO AUDIO/VIDEO	●	●	●	●	
	PANEL INOX	FLUSH SURFACE AUDIO AUDIO/VIDEO	●	●	●	●	●
	PANEL INOX ALPHA-NUMERIC	FLUSH SURFACE AUDIO AUDIO/VIDEO	●	●	●	●	
	MONITOR HANDSET COMPACT	SURFACE DESK AUDIO AUDIO/VIDEO	●	●	●	●	●
	MONITOR HANDSET COMPACT INTERCOM	SURFACE DESK AUDIO AUDIO/VIDEO				●	
	MONITOR AVANT	SURFACE FLUSH DESK AUDIO/VIDEO		●	●	●	
	MONITOR AVANT INTERCOM	SURFACE FLUSH DESK AUDIO/VIDEO				●	
	MONITOR E-COMPACT	SURFACE FLUSH DESK AUDIO/VIDEO		●	●	●	
	MONITOR SLIM	SURFACE FLUSH DESK AUDIO/VIDEO	●	●			
	SWITCHBOARD UNIT CCI	SURFACE DESK AUDIO/VIDEO		●	●	●	
	SWITCHBOARD UNIT CCA	SURFACE DESK AUDIO			●	●	

ENTRY
PANELS

COMPACT

auta

DIGITAL COMPACT ENTRY PANEL T

ANALOG COMPACT ENTRY PANEL T

The turquoise references belong to the digital entry panels
the blue ones are from the analog entry panels.















SERIES 1

entry panel: 145 x 130 mm.
mounting box: 132 x 122 x 60 mm.

T S1 101	T S1 201	AUTALLAVE	T S1
			
651111 851111	651121 851121	850101	651100

SERIES 3

entry panel: 262 x 130 mm.
mounting box: 248 x 130 x 60 mm.

T S3 102	TS3 103	T S3 104	T S3 105	T S3 106	T S3 202	T S3 203
						
651312 851312	651313 851313	651314 851314	651315 851315	651316 851316	651322 851322	651323 851323
T S3 204	T S3 205	T S3 206	T S3 101 AUTA KEY	T S3 KEYPAD	T S3 201 AUTA KEY	T S3
						
651324 851324	651325 851325	651326 851326	651301 851301	651302	655321 855321	851300












SERIES 2

entry panel: 215 x 130 mm.
mounting box: 203 x 130 x 60 mm.

T S2 101	T S2 102	TS2 103	T S2 104	T S2 201	T S2 202	T S2 203	T S2 204
							
651211 851211	651212 851212	651213 851213	651214 851214	651221 851221	651222 851222	651223 851223	651224 851224











SERIES 4

entry panel: 330 x 130 mm.
mounting box: 319 x 130 x 60 mm.

T S4 107	T S4 108	T S4 109	T S4 207	T S4 208	T S4 209	T S4 202 AUTA KEY	T S4 203 AUTA KEY	T S4 204 AUTA KEY	T S4 DIRECTORY	T S4
										
651417 851417	651418 851418	651419 851419	651427 851427	651428 851428	651429 851429	655422 855422	655423 855423	655424 855424	651403	851400

SERIES 5

entry panel: 400 x 130 mm.
mounting box: 390 x 130 x 60 mm.

T S5 110	T S5 111	T S5 112	T S5 210	T S5 211	T S5 212	T S5 205 AUTA KEY	T S5 206 AUTA KEY	T S5 207 AUTA KEY	T S5
									
651530 851530	651531 851531	851532	651540 851540	651541 851541	651542 851542	655525 855525	655526 855526	655527 855527	851500

DIGITAL COMPACT ENTRY PANEL T/T

ANALOG COMPACT ENTRY PANEL T/T

The turquoise references belong to the digital entry panels
the blue ones are from the analog entry panels.

SERIES 2

entry panel: 215 x 130 mm.
mounting box: 203 x 130 x 60 mm.

T/T S2 101



652211
852211

T/T S2 201



652221
852221

SERIES 4

entry panel: 330 x 130 mm.
mounting box: 319 x 130 x 60 mm.

T/T S3 103



652413
852413

T/T S3 104



652414
852414

T/T S4 105



652415
852415

T/T S4 106



652416
852416

T/T S4 203



652423
852423

T/T S4 204



652424
852424

T/T S4 205



652425
852425

T/T S4 206



652426
852426

T/T S4 101
AUTO KEY



652401
852401

T/T S4
KEYPAD



652402

CARDHOLDERS

CARDHOLDER S3



653301

CARDHOLDER S4



654401

CARDHOLDER S5



655501

SERIES 3


entry panel: 262 x 130 mm.
mounting box: 248 x 130 x 60 mm.

T/T S3 101




652311
852311

T/T S3 102



652312
852312

T/T S3 103



652313
852313

T/T S3 202



652322
852322

T/T S3 203




652323
852323

SERIES 5

entry panel: 400 x 130 mm.
mounting box: 390 x 130 x 60 mm.

T/T S5 107



652517
852517

T/T S5 108



652518
852518

T/T S5 109



652519
852519

T/T S5 207



652527
852527

T/T S5 208



652528
852528

T/T S5 209



652529
852529

ONLY VIDEO

VS1



659100

DIGITAL COMPACT ENTRY PANEL PUSH-BUTTONS

ANALOG COMPACT ENTRY PANEL PUSH-BUTTONS

The turquoise references belong to the digital entry panels
the blue ones are from the analog entry panels.











SERIES 2

entry panel: 215 x 130 mm.
mounting box: 203 x 130 x 60 mm.

P S2 105	P S2 106	P S2 107	P S2 205	P S2 206	P S2 207
					
650215 850215	650216 850216	650217 850217	650225 850225	650226 850226	650227 850227











SERIES 4

entry panel: 330 x 130 mm.
mounting box: 319 x 130 x 60 mm.

P S4 107	P S4 108	P S4 109	P S4 207	P S4 208	P S4 209	P S4 210
						
650417 850417	650418 850418	650419 850419	650427 850427	650428 850428	650429 850429	650440 850440
P S4 211	P S4 212	CIEGA S4				
						
650441 850441	850442	850400				




SERIES 3

entry panel: 262 x 130 mm.
mounting box: 248 x 130 x 60 mm.

P S3 104	P S3 105	P S3 106	P S3 204	P S3 205	P S3 206	P S3 207	P S3 208	P S3 209	BLIND S3
									
650314 850314	650315 850315	650316 850316	650324 850324	650325 850325	650326 850326	650327 850327	650328 850328	650329 850329	850300

SERIES 5

entry panel: 400 x 130 mm.
mounting box: 390 x 130 x 60 mm.

P S5 110	P S5 111	P S5 112	P S5 210	P S5 211	P S5 212
					
650530 850530	650531 850531	850532	650540 850540	650541 850541	850542
P S5 213	P S5 214	BLIND S5			
					
850543	850544	850500			

COMPACT ENTRY PANEL

ALPHANUMERIC

■ A DIFFERENT WAY OF CALLING

Enter the floor number with the keypad and complete the call by pressing the door of the house, without having to memorize the call codes or search for names on the push buttons

Example:

To call the house 3^oB dial 3 with the keyboard and press the letter B



MODELS

T S4 203
ALFANUM



656423

T S4 202
ALFANUM



656422

T S4 201
ALFANUM



656421

T S4 103
ALFANUM



656413

T S4 102
ALFANUM



656412

T S4 206
ALFANUM



656526

T S4 205
ALFANUM



656525

T S4 204
ALFANUM



656524

T S4 106
ALFANUM



656516

T S4 105
ALFANUM



656515

T S4 104
ALFANUM



656514

ACCESSORIES FOR ENTRY PANELS COMPACT

REF. DESCRIPTION

ACCESSORIES SERIES 1

- 509021 MOUNTING BOX SERIES 1
- 730501 RAINSHIELD SERIES 1
- 730520 SURFACE BOX WITH RAINSHIELD SERIES 1
- 730521 SURFACE BOX SERIES 1
- 730541 BOX WITH ANGLE SERIES 1
- 730560 FRAME SERIES 1 (KF) 175 x 155 mm
- 730561 FRAME SERIES 1 (0) 175 x 155 mm
- 730575 FRAME SERIES 1 UNIVERSAL 275 x 155 mm



surface box

ACCESSORIES SERIES 2

- 509022 MOUNTING BOX SERIES 2
- 730502 RAINSHIELD SERIES 2
- 730516 RAINSHIELD SERIES 2 (2 entry panels)
- 730517 RAINSHIELD SERIES 2 (3 entry panels)
- 730522 SURFACE BOX SERIES 2
- 730532 SURFACE BOX WITH RAINSHIELD SERIES 2
- 730542 BOX WITH ANGLE SERIES 2
- 730562 FRAME SERIES 2 (KV) 275 x 155 mm
- 730563 FRAME SERIES 2 (1) 275 x 155 mm
- 730577 FRAME SERIES 2 (2P) 360 x 155 mm



mounting box

ACCESSORIES SERIES 3

- 509023 MOUNTING BOX SERIES 3
- 730503 RAINSHIELD SERIES 3
- 730510 RAINSHIELD SERIES 3 (2 entry panels)
- 730511 RAINSHIELD SERIES 3 (3 entry panels)
- 730523 SURFACE BOX SERIES 3
- 730533 SURFACE BOX WITH RAINSHIELD SERIES 3
- 730543 BOX WITH ANGLE SERIES 3
- 730550 BOX WITH ANGLE SERIES 3 (2 entry panels)
- 730551 BOX WITH ANGLE SERIES 3 (3 entry panels)
- 730564 FRAME SERIES 3 (2P) 360 x 155 mm
- 730576 FRAME SERIES 3 - (3) 430 x 210 mm
- 730570 FRAME SERIES 3 - 2 PLACAS (4) 440 x 295 mm

ACCESSORIES FOR ENTRY PANELS COMPACT

REF. DESCRIPTION

ACCESSORIES SERIES 4



rainshield

- 509024 MOUNTING BOX SERIES 4
- 730504 RAINSHIELD SERIES 4
- 730512 RAINSHIELD SERIES 4 (2 entry panels)
- 730513 RAINSHIELD SERIES 4 (3 entry panels)
- 730524 SURFACE BOX SERIES 4
- 730534 SURFACE BOX WITH RAINSHIELD SERIES 4
- 730544 BOX WITH ANGLE SERIES 4
- 730552 BOX WITH ANGLE SERIES 4 (2 entry panels)
- 730553 BOX WITH ANGLE SERIES 4 (3 entry panels)
- 730565 FRAME SERIES 4 (2P) 360 x 155 mm
- 730566 FRAME SERIES 4 (2G) 430 x 155 mm
- 730567 FRAME SERIES 4 (3) 430 x 210 mm
- 730571 FRAME SERIES 4 - 2 PLACAS (4) 440 x 295 mm
- 730573 FRAME SERIES 4 - 2 PLACAS (5) 440 x 375 mm



box with angle

ACCESSORIES SERIES 5

- 509025 MOUNTING BOX SERIES 5
- 730505 RAINSHIELD SERIES 5
- 730514 RAINSHIELD SERIES 5 (2 entry panels)
- 730515 RAINSHIELD SERIES 5 (3 entry panels)
- 730525 SURFACE BOX SERIES 5
- 730535 SURFACE BOX WITH RAINSHIELD SERIES 5
- 730545 BOX WITH ANGLE SERIES 5
- 730554 BOX WITH ANGLE SERIES 5 (2 entry panels)
- 730555 BOX WITH ANGLE SERIES 5 (3 entry panels)
- 730568 FRAME SERIES 5 (2G) 430 x 155 mm
- 730569 FRAME SERIES 5 (3) 430 x 210 mm
- 730572 FRAME SERIES 5 - 2 PLACAS (4) 440 x 295 mm
- 730574 FRAME SERIES 5 - 2 PLACAS (5) 440 x 375 mm
- 731045 ARMARIO PROTECTOR METACRILATO 3 PLACAS SERIE 5 460 x 465 mm

ENTRY
PANELS

INOX

auta

STAINLESS STEEL DIGITAL ENTRY PANELS

STAINLESS STEEL ANALOG ENTRY PANELS

The turquoise references belong to the digital entry panels
the blue ones are from the analog entry panels.

REMARK:

The first two digits of the reference (XX1301) must be replaced depending on the system chosen for the installation:

COAX SYSTEM: 77

VISUALTECH SYSTEM: 79

COAXLESS SYSTEM: 78


2 WIRES SYSTEM: 69

SERIES 1

entry panel: 145 x 130 mm.

mounting box: 132 x 122 x 60 mm.

VS1




XX0102

AUTA KEY



940100

F S1 101



XX1111
941111

F S1 201



XX1121
941121

FV S1 101



XX7111

FV S1 201



XX7121

SERIES 2

entry panel: 215 x 130 mm.

mounting box: 203 x 130 x 60 mm.

F S2 102



XX1212
941212

F S2 103



XX1213
941213

F S2 202



XX1222
941222

F S2 203



XX1223
941223

FV S2 101



XX7211

FV S2 102



XX7212

FV S2 103



XX7213

FV S2 202



XX7222






FV S2 203



XX7223















SERIES 3

entry panel: 262 x 130 mm.
mounting box: 248 x 130 x 60 mm.

F S3 KEYPAD	F S3 101 AUTA KEY	F S3 DIRECTORY	F S3 104	F S3 105	F S3 204	F S3 205
						
XX1301 941301	XX1302 941302	XX1303 941303	XX1314 941314	XX1315 941315	XX1324 941324	XX1325 941325
FV S3 KEYPAD	FV S3 101 AUTA KEY	FV S3 DIRECTORY	FV S3 104	FV S3 105	FV S3 204	FV S3 205
						
XX7301	XX7302	XX7303	XX7314	XX7315	XX7324	XX7325

SERIES 4

entry panel: 330 x 130 mm.
mounting box: 319 x 130 x 60 mm.

F S4 106	F S4 107	F S4 108	F S4 206	F S4 207	F S4 208	FV S4 106
						
XX1416 941416	XX1417 941417	XX1418 941418	XX1426 941426	XX1427 941427	XX1428 941428	XX7416
FV S4 107	FV S4 108	FV S4 206	FV S4 207	FV S4 208	FV/T S4 KEYPAD	FV/T S4 DIRECTORY
						
XX7417	XX7418	XX7426	XX7427	XX7428	XX8401	XX8403

SERIES 5

entry panel: 400 x 130 mm.
mounting box: 390 x 130 x 60 mm.

F S5 109



XX1519
941519

F S5 110



XX1520
941520

F S5 111



XX1521
941521

F S5 209



XX1529
941529

F S5 210



XX1530
941530

F S5 211



XX1531
941531

FV S5 109



XX7519

FV S5 110



XX7520

FV S5 111



XX7521

FV S5 209



XX7529

FV S5 210



XX7530

FV S5 211



XX7531

FV/T S5
KEYPAD












XX8501

PUSH-BUTTONS & CARDHOLDERS

DIGITAL STEEL PANELS / ANALOG STEEL PANELS











SERIES 3

entry panel: 262 x 130 mm.
mounting box: 248 x 130 x 60 mm.

P S3 104	P S3 105	P S3 203	P S3 204	P S3 205	P S3 206	P S3 207	P S3 208	S3 CARDHOLDER
								
773314 943314	773315 943315	773323 943323	773324 943324	773325 943325	773326 943326	773327 943327	773328 943328	946300











SERIES 4

entry panel: 330 x 130 mm.
mounting box: 319 x 130 x 60 mm.

P S4 106	P S4 107	P S4 108	P S4 206	P S4 207	P S4 208	P S4 209	P S4 210	P S4 211	S4 CARDHOLDER
									
773416 943416	773417 943417	773418 943418	773426 943426	773427 943427	773428 943428	773429 943429	773430 943430	773431 943431	946400

SERIES 5

entry panel: 400 x 130 mm.
mounting box: 390 x 130 x 60 mm.

P S5 109	P S5 110	P S5 111	P S5 209	P S5 210	P S5 211	P S5 212	P S5 213	P S5 214	S5 CARDHOLDER
									
773519 943519	773520 943520	773521 943521	773529 943529	773530 943530	773531 943531	773532 943532	943533	943534	946500

STEEL ALPHANUMERIC ENTRY PANELS

STEEL ALPHANUMERIC ENTRY PANELS

The turquoise references belong to the digital entry panels
the blue ones are from the analog entry panels.

NOTA:

The first two digits of the reference (XX1301) must be replaced depending on the system chosen for the installation:

COAX SYSTEM: 77











VISUALTECH SYSTEM: 79

COAXLESS SYSTEM: 78

2 WIRES SYSTEM: 69







SERIES 4

entry panel: 330 x 130 mm.
mounting box: 319 x 130 x 60 mm.

F S4 102 ALPHANUM.	F S4 103 ALPHANUM.	F S4 201 ALPHANUM.	F S4 202 ALPHANUM.	F S4 203 ALPHANUM.	FV S4 102 ALPHANUM.	FV S4 103 ALPHANUM.	FV S4 201 ALPHANUM.	FV S4 202 ALPHANUM.	FV S4 203 ALPHANUM.
									
XX0412	XX0413	XX0421	XX0422	XX0423	XX5412	XX5413	XX5421	XX5422	XX5423

SERIES 5

entry panel: 400 x 130 mm.
mounting box: 390 x 130 x 60 mm.

F S5 104 ALPHANUM.	F S5 105 ALPHANUM.	F S5 106 ALPHANUM.	F S5 204 ALPHANUM.	F S5 205 ALPHANUM.	F S5 206 ALPHANUM.
					
XX0514	XX0515	XX0516	XX0524	XX0525	XX0526

SERIES 5

entry panel: 400 x 130 mm.
 mounting box: 390 x 130 x 60 mm.

FV S5 104
ALPHANUM.



XX5514

FV S5 105
ALPHANUM.



XX5515

FV S5 106
ALPHANUM.



XX5516

FV S5 204
ALPHANUM.



XX5524

FV S5 205
ALPHANUM.



XX5525

FV S5 206
ALPHANUM.



XX5526

CUSTOMIZED STEEL ENTRY PANELS

Original and exclusive stainless steel entry panels at the service of the current architecture. Its elegant and functional design brings a quality value to the final installation. It adapts perfectly to new environments and the most avant-garde buildings.

Possibility of personalization depending on push buttons. Keyboard / Directory. Access Control. Custom budget. Check dimensions



STAINLESS STEEL
TOTEM

entry panel dimensions:
ask



MAILBOX

entry panel dimensions:
ask

mounting box dimensions:
ask



DIGITAL

entry panel dimensions:
ask

mounting box dimensions:
ask

CHARACTERISTICS



- 2.5 mm stainless steel plates. thick.
- Individual card holders or double IP 65 anti-vandalism stainless steel push buttons.
- Anti-vandalism screws.

SYSTEM 2 WIRES




- **PURE** 2 wires system
- System **WITHOUT POLARITY**
- **COMPLETE** modulation of signals
- Functioning **WITHOUT LATENCES**

auta

REF.	DESCRIPTION
 508004	2 WIRES AUDIO MODULE Audio module for 2H digital systems. Incorporates 2H video management that allows future extensions of the system. Compatible with COMPACT entry panels.
 508001	2 WIRES AUDIO/VIDEO MODULE Audio and video module for 2H digital systems. Compatible with COMPACT entry panels.

PANEL AUXILIARY MODULES

REF.	DESCRIPTION
 509018	CARHOLDER MODULE (DC) Panoramic retro-illuminated card module. It allows incorporating any type of information deemed necessary into street signs. Compatible with COMPACT entry panels. 24Vdc power supply.

MODULE OF CONTROL Y ACCESORIES

REF.	DESCRIPTION
600019	2 WIRES MODULE OF CONTROL Digital control module for AUDIO and AUDIO / VIDEO 2H systems. Independent management of up to 2 doors with free opening. Door sensor management. Management of auxiliary opening buttons. Possibility of selecting opening times. It incorporates access control with up to an individual opening code per dwelling as well as 4 general codes. Automatic management of plates only push button, keyboard + display entry panels.
600020	2 WIRES ALPHANUMERIC MODULE OF CONTROL Digital module of control for AUDIO and AUDIO / VIDEO 2H systems. Allows direct dialing using the floor + letter number of the house. It allows to dispense plates repertoire. Management of mixed boards (Display + Pushbuttons), as well as ONLY PUSHBUTTONS where the choice of the buttons for the floor number and the letters of the houses is free. It incorporates the same features as the 600019 module.
600002	MODULE OF ROWS & COLUMNS Módulo que permite enlazar varias placas de pulsadores digitales en un mismo acceso. Gestión de iluminación. Compatible con todos los sistemas digitales Auta.

COMPACT MONITOR



REF.	DESCRIPTION
755005	2 WIRES DIGITAL COMPACT MONITOR Digital technology. Installation 2 wires without polarity
750699	CONNECTION BRACKET FOR 2 WIRES COMPACT MONITOR Digital technology. Installation 2 wires without polarity.
750799	2 WIRES PLUS CONNECTION BRACKET For 2-wire monitors without polarity. Connection module with additional functions, remote door opener or auxiliary doorbell
730482	COMPACT MONITOR DESK CONVERTER






COMPACT HANDSET



REF.	DESCRIPTION
705005	2 WIRES COMPACT HANDSET Digital technology. Installation 2 wires without polarity
507030	COMPACT MONITOR DESK CONVERTER



SYSTEM COMPLEMENTS



REF.	DESCRIPTION
 <p>715503</p>	<p>ATF-12 POWER SUPPLY UNIT</p> <p>Analog power supply. Entry 220-230 Vac. Output 12Vac 1.2A. Made of high quality ABS. It is mainly used in analog installations. It can also be used in systems where you want to feed a 12Vca door opener up to 1.2A. Can be mounted on the surface or DIN rail (2 elements)</p>
 <p>715303</p>	<p>ALV-1,5 A POWER SUPPLY UNIT</p> <p>Switched power supply. Input 100-260 Vac 50-60 Hz. Output 24Vdc 1.5A. Made of high quality ABS. In digital systems Auta allows you to install up to 30 monitors and 50 telephones or 3 elements with simultaneous call. It can be installed on the surface or by DIN rail (3 elements)</p>
 <p>715703</p>	<p>ALV-2,5 A POWER SUPPLY UNIT</p> <p>Switched power supply. Input 100-260 Vac 50-60 Hz. Output 24Vdc 2.5A. Made of high quality ABS. In digital systems Auta allows you to install up to 50 monitors and 100 telephones or 5 elements with simultaneous call. It can be installed on the surface or by DIN rail (4 elements)</p>
 <p>730168</p>	<p>2 WIRES POWER INJECTOR</p> <p>Power injector for 2 WIRES systems. It has 2 operating modes. INJECTOR MODE (FACTORY): Installed next to the system feeder. SECTIONER MODE: It is used to place reinforcement feeders in the same line.</p>
 <p>730145</p>	<p>BATTERY MANAGER</p> <p>It allows to connect some batteries to maintain permanent power in the installation, to the following power supplies: 715303 and 715703.</p>
 <p>753298</p>	<p>2 WIRES MINI DISTRIBUTOR</p> <p>Distributor for 2 WIRES systems. It has 4 outputs. Dimensions: 40 x 43 x 22 mm</p>
 <p>730171</p>	<p>2 WIRES SYSTEM ROUTER</p> <p>It allows the realization of multiple entry panel and riser 2 WIRES installations. It allows to apply several routers in the same</p>
 <p>730174</p>	<p>HEB WIRELESS BELL KIT</p> <p>New Auta wireless doorbell system. New technology that improves reach. Reach up to 200m in the open field. New emission frequency 868 Mhz that facilitates reception even with intermediate obstacles. 32 selectable melodies. Up to 30 recipients linked in the same home. Self-learning of elements.</p>

SYSTEM



VISUALTECH

- Ideal for renovation
- Use of existing wiring in the installation. Without works
- Quick and easy installation




auta

	REF.	DESCRIPCIÓN	P.V.P.
	509052	VISUALTECH AUDIO MODULE Audio module for VISUALTECH systems. It incorporates COAXLESS video management that allows future extensions of the system. Compatible with COMPACT door entry panels	
	509066	VISUALTECH COLOR AUDIO/VIDEO MODULE Audio and video module for VISUALTECH systems. Compatible COMPACT door entry panels. It can be installed on systems with B&W monitors.	

MODULES FOR S1 PANELS

	509080	VISUALTECH AUDIO MODULE FOR KIT S1 Audio module for VISUALTECH systems with built-in module of control. It incorporates COAXLESS video management that allows future extensions of the system. Allows Switchboard Unit. Compatible with COMPACT SERIES 1 door entry panels. Management of up to 2 independent calls.	
	509075	VISUALTECH COLOR AUDIO/VIDEO MODULE FOR KIT S1 Audio/Video module for VISUALTECH systems with built-in module of control. Allows Switchboard Unit. Compatible with COMPACT SERIES 1 door entry panels. Management of up to 2 independent calls.	

AUXILIARY MODULES

	509018	CARHOLDER MODULE (DC) Panoramic retro-illuminated card module. It allows incorporating any type of information deemed necessary into street signs. Compatible with COMPACT entry panels. 24Vdc power supply.	
	509048	DIGITAL ADAPTED MODULE Panoramic retro-illuminated card module. Shows system information to people with hearing impairment. Compatible with COMPACT entry panels and DIGITAL systems.	
	509011	COLOR COAXLESS DECOR VIDEO MODULE Color module of coaxless and P&P systems. Compatible with COMPACT y DECOR entry panels. Allows installation with B&W monitors.	

MODULE OF CONTROL AND ACCESSORIES

	600011	VISUALTECH MODULE OF CONTROL Digital control module for AUDIO and AUDIO / VIDEO VISUALTECH systems. Central Guard Porter Management. Can manage up to 63 buildings and 16.000 apartments. Door sensor management. Management of auxiliary opening buttons. Possibility of selecting opening times. It incorporates access control with up to an individual opening code per dwelling as well as 4 general codes. Automatic management of plates only push button, keyboard + display entry panels.	
	600017	MÓDULO DE CONTROL COMPACT VISUALTECH ALFANUMÉRICO Digital control module for AUDIO and AUDIO / VIDEO VISUALTECH systems. Allows the direct deal as floors number and apartment letter. Can manage push-buttons & display entry panels and push-button ONLY entry panels..Same benefits as 600011.	
	600002	CONNECTION MODULE OF ROWS & COLUMNS Allows the link of push-button digital entry panels. Lighting Management. Compatible with All digital systems. Up to 3 entry panels with 66 push-buttons.	
	600015	MULTI-MODULE OF CONTROL Allows the connection of several modules of control wit ONE AUDIO or AUDIO/VIDEO module. Allows more than 3 entry panels and 66 push-buttons. Compatible with All digital systems.	

MONITOR AVANT



Negro



Blanco



Acero

High-end HANDSFREE monitor

■ Extra flat design

(178 x 142 x 27 mm.) surface
(178 x 142 x 6 mm.) flush

■ Touch buttons

■ Large color screen
TFT-LCD 5,6"

BLACK	WHITE	STAINL	DESCRIPTION
750907	750908	750909	VISUALTECH AVANT MONITOR digital technology. installation 5 wires. COAXLESS

MONITOR E-COMPACT



Blanco



Negro

HANDSFREE monitor

■ Extra flat design

(178 x 142 x 33 mm.) surface
(178 x 142 x 10 mm.) flush

■ Handsfree

■ Panoramic LCD screen
4,3" Format16:9

BLACK	WHITE	DESCRIPTION
751314	751315	E-COMPACT PLUS VISUALTECH MONITOR digital technology. installation 5 wires. COAXLESS

REF.	DESCRIPTION
750920	AVANT / E-COMPACT MONITOR PLATE Surface mounting plate
750921	AVANT/ E-COMPACT MONITOR MOUNTING BOX Flush mounting box (W 179 x H 152 x D 35 mm.)
750922	AVANT/ E-COMPACT MONITOR FRAME Fush mouting frame. Black and White color.
750923	AVANT / E-COMPACT MONITOR DESK CONVERTER Made of metracilat. BLUE LEDs
750924	AVANT / E-COMPACT MONITOR NON-CONVENTIONAL FIXING For non conventional fixing; pladur, wood..etc. Includes de frame (black or white color):



MONITOR COMPACT



COMPACT MONITOR



COMPACT SILVER MONITOR

REF.	DESCRIPTION
752305	COLOR VISUALTECH COMPACT MONITOR Digital technology. Installation 5 wire COAXLESS.. Recommended for replacement of conventional AUDIO 4+N systems.
752905	COLOR VISUALTECH SILVER COMPACT MONITOR Digital technology. Installation 5 wire COAXLESS.. Recommended for replacement of conventional AUDIO 4+N systems.
750399	VISUALTECH/COAXLESS COMPACT BRACKET Bracket for VISUALTECH or COAXLESS COMPACT monitors
730482	COMPACT MONITOR DESK CONVERTER



HANDSET COMPACT



COMPACT HANDSET



SILVER COMPACT HANDSET

REF.	DESCRIPTION
701705	VISUALTECH BASIC COMPACT HANDSET digital technology. Installation 3 wires
700205	VISUALTECH COMPACT HANDSET digital technology. Installation 3 wires
701105	VISUALTECH COMPACT SILVER HANDSET digital technology. Installation 3 wires
507030	COMPACT HANDSET DESK CONVERTER



CENTRAL GUARD PORTER VISUALTECH



CENTRAL
DE CONSERJERÍA
Audio/Vídeo

DIMENSIONS
19,5 x 23 x 5cm.

TFT color screen

O.S.D technology.

FUNCTIONING

Receives all income calls from the entry panel. Can transfer the received call directly. Also can consult the tenant if the call wanted to be attended.

Receives calls from All apartments.

Missing calls queue. Shows the last 25 unattended calls received from the apartments.

MUTE option.

Monitoring of all calls.

DO NOT DISTURB mode. If the call from the entry panels is not answered at the Central Guard Porter it will Not be transferred to the apartment.

COMMUNICATION

PANEL ↔ CENTRAL / CENTRAL ↔ FLAT / FLAT ↔ CENTRAL / PANEL ↔ FLAT / CENTRAL ↔ CENTRAL

F

MAIN FEATURES

- 3 operating modes: Standard / Direct / Do not Disturb.
- Missing calls queue. Shows the last 25 non-attended calls from the flats.
- The Central Guard Porter can be set up as INTERNAL or EXTERNAL.

COMPONENTS

REF.	DESCRIPCIÓN
760597	VISUALTECH CENTRAL GUARD PORTER
167097	USB connector KIT
730482	CENTRAL GUARD PORTER DESK CONVERTER



SYSTEM COMPLEMENTS

REF.	DESCRIPTION
 715503	ATF-12 POWER SUPPLY UNIT Analog power supply. Entry 220-230 Vac. Output 12Vac 1.2A. Made of high quality ABS. It is mainly used in analog installations. It can also be used in systems where you want to feed a 12Vca door opener up to 1.2A. Can be mounted on the surface or DIN rail (2 elements)
 715303	ALV-1,5 A POWER SUPPLY UNIT Switched power supply. Input 100-260 Vac 50-60 Hz. Output 24Vdc 1.5A. Made of high quality ABS. In digital systems Auta allows you to install up to 30 monitors and 50 telephones or 3 elements with simultaneous call. It can be installed on the surface or by DIN rail (3 elements)
 715703	ALV-2,5 A POWER SUPPLY UNIT Switched power supply. Input 100-260 Vac 50-60 Hz. Output 24Vdc 2.5A. Made of high quality ABS. In digital systems Auta allows you to install up to 50 monitors and 100 telephones or 5 elements with simultaneous call. It can be installed on the surface or by DIN rail (4 elements)
 730145	BATTERY MANAGER Allows the connection of back battery.
 730146	VISUALTECH DIGITAL LINES SELECTOR (SDL) One independent line per SDL. Suitable for VISUALTECH systems
 730152	DRP-1 VISUALTECH Interface that allows the connection with other devices without additional cables. Multiple applications: Security (CCTV cameras), home management, building management..etc For VISUALTECH systems.
 753098	COAXLESS MINI VIDEO SPLITTER 2 double outputs allowing up to 4 monitors. . Measures: 40 x 43 x 22 mm.
 730140	SV-U UNIVERSAL VIDEO SELECTOR Universal video switcher for COAX and COAXLESS installations. 2 inputs / 1 output.
 730144	COAXLESS VIDEO AMPLIFIER 24 Vdc. Gain between -2dB y 6dB. 1 input and 2 amplified outputs.
 730212	24V DC MINI RELAY 24Vdc relay for digital installations. Allows the connection of normally open normally closed circuits.
 730131	DIGITAL BUZZER Allows the call extention of the monitor/handset. 2 wires. Compatible with All digital monitors and handsets.
 730174	WIRELESS BUZZER HEB KIT Allows the call extention of the monitor/handset. Wireless. Up to 200m a open field. Emission frequency 868 Mhz that allows good reception. 32 selectable melodies. Up to 30 receivers in the same apartment/house

SYSTEM

PLUG & PLAY



SYSTEM

ISO PLUG & PLAY



- Structured cabling. CAT-5/6 cable with RJ-45 connectors.
- Universal T-568B connectorization protocol that eliminates errors in wiring.
- ISO system 100% isolated. Isolate each flat from the rest of the installation.

auta




MODULES FOR BUILDINGS

	REF.	DESCRIPTION
	509049	COAXLESS AUDIO MODULE Audio module for COAXLESS and P&P systems. It incorporates COAXLESS video management that allows future extensions of the system. Compatible with COMPACT door entry panels
	509058	COLOR COAXLESS AUDIO/VIDEO MODULE Audio and video module for COAXLESS and P&P systems. Compatible COMPACT door entry panels. It can be installed on systems with B&W monitors

MODULES FOR S1 PANELS

	509088	COAXLESS AUDIO MODULE FOR S1 PANEL Audio module for COAXLESS and P&P systems. It incorporates COAXLESS video management that allows future extensions of the system. Compatible with COMPACT door entry panels S1
	509077	COAXLESS AUDIO/VIDEO FOR S1 PANEL Audio and video module for COAXLESS and P&P systems. Compatible COMPACT door entry panels S1. It can be installed on systems with B&W monitors

AUXILIARY MODULES

	509018	CARDHOLDER MODULE CC Panoramic retro-illuminated card module. It allows incorporating any type of information deemed necessary into street signs. Compatible with COMPACT entry panels. 24Vdc power supply.
	509048	DIGITAL ADAPTED MODULE Panoramic retro-illuminated card module. Shows system information to people with hearing impairment. Compatible with COMPACT entry panels and DIGITAL systems.
	509011	COLOR COAXLESS DECOR VIDEO MODULE Color module of coaxless and P&P systems. Compatible with COMPACT y DECOR entry panels. Allows installation with B&W monitors.

MODULE OF CONTROL AND ACCESSORIES

600016	P&P MODULE OF CONTROL Digital module of control for P&P systems. Not screws required. Connection with RJ-45 connectors. Allows calling code data-base setting. Independent Manager of 2 doors. Door sensor management. Central Guard Porter management. Up to 64500 flats and 254 buildings. Opening auxiliary buttons management. Opening time selection. Build-in access control with 1 accesscode for each flat and 4 access codes. Automatic selection of push-button/keypad+display/mix entry panels. Compatible with COMPACT y DECOR digital entry panels
600021	DIRECTORY P&P MODULE OF CONTROL Same benefits as 600016 module of control. Each calling code can have name associated User's research through arrows. ONLY compatible with Directory entry panels.
600002	CONNECTION MODULE OF Allows the link of push-button digital entry panels. Lighting Management. Compatible with All digital systems. Up to 3 entry panels with 66 push-buttons.
600015	MULTI-MODULE OF CONTROL Allows the connection of several modules of control wit ONE AUDIO or AUDIO/VIDEO module. Allows more than 3 entry panels and 66 push-buttons. Compatible with All digital systems.

MONITORS AVANT



Negro



Blanco



Acero

High-end HANDSFREE monitor

- **Extra-flat design**
(178 x 142 x 27 mm.) surface
(178 x 142 x 6 mm.) flush
- **Touch buttons**
- **Color screen**
TFT-LCD 5,6"

BLACK	WHITE	STAINL	DESCRIPTION
750937	750938	750939	PLUG & PLAY AVANT MONITOR Digital Technology. CAT 5/6 100% copper cable.

MONITORS E-COMPACT



White



Black

HANDSFREE monitor

- **Extra-flat design**
(178 x 142 x 33 mm.) surface
(178 x 142 x 10 mm.) flush
- **Handsfree**
- **color panoramic LCD screen**
4,3" Format 16:9

BLACK	WHITE	DESCRIPTION
751316	751317	E-COMPACT PLUS PLUG & PLAY MONITOR Works with CAT 5/6 100% copper cable and RJ-45 connectors according to T568B rule.
751318	751319	E-COMPACT PLUS ISO PLUG & PLAY MONITOR Works with CAT 5/6 100% copper cable and RJ-45 connectors according to T568B rule. Fully ISOLATED monitor.

REF.	DESCRIPTION
750920	AVANT / E-COMPACT SURFACE BRACKET For ALL AVANT monitors regardless the system.
750921	AVANT / E-COMPACT MOUNTING BOX Flush mounting box (W 179 x H 152 x D 35 mm.)
750922	AVANT / E-COMPACT MONITOR FRAME Fush mouting frame. Black and White color.
750923	AVANT / E-COMPACT DESK-CONVERTER Made of metracilat. BLUE LEDs
750924	AVANT / E-COMPACT NON-CONVENTIONAL FIXING For non conventional fixing; pladur, wood..etc. Includes de frame (black or white color):



MONITOR COMPACT



COMPACT MONITOR



SILVER COMPACT MONITOR

REF.	DESCRIPTION
752105	COLOR DIGITAL COMPACT MONITOR Works with CAT 5/6 100% copper cable
752705	SILVER COLOR DIGITAL COMPACT MONITOR Works with CAT 5/6 100% copper cable
750599	PLUG & PLAY BRACKET FOR COMPACT MONITOR Works with CAT 5/6 100% copper cable
730482	MONITOR COMPACT DESK CONVERTER



HANDSET COMPACT



COMPACT HANDSET



SILVER COMPACT HANDSET

REF.	DESCRIPTION
700005	BASIC DIGITAL COMPACT HANDSET 4 wires. Can be installed with CAT 5/6 cable
700205	DIGITAL COMPACT HANDSET 4 wires. Can be installed with CAT 5/6
701005	SILVER DIGITAL COMPACT HANDSET 4 wires. Can be installed with CAT
507030	COMPACT HANDSET DESK CONVERTER



CENTRAL GUARD PORTER

PLUG & PLAY



CENTRAL GUARD PORTER
Audio/Vídeo

CENTRAL DIMENSIONS:
19,5 x 23 x 5cm.

TFT color screen

O.S.D Technology.

Information without video signal



CENTRAL GUARD PORTER
Audio

CENTRAL DIMENSIONS:
8,5 x 23 x 5cm.

FUNCTIONING

Receives all income calls from the entry panel. Can transfer the received call directly. Also can consult the tenant if the call wanted to be attended.

Receives calls from All apartments.

Missing calls queue. Shows the last 25 unattended calls received from the appartments.

MUTE option.

Monitoring of all calls.

DO NOT DISTURB mode. If the call from the entry panels is not answered at the Central Guard Porter it will Not be transferred to the apartment.

Up to 15 Central Guard Porter can be installed in the same BUS. Intercom between the Central Guard Porters.

MANAGER mode. The central guard porter only receives calls from other central guard porter

COMMUNICATION

PANEL <-> CENTRAL / CENTRAL <-> FLAT /

FLAT <-> CENTRAL / PANEL <-> FLAT /

CENTRAL <-> CENTRAL

MAIN FEATURES














- **Multi-central.** Up to 15 Central Guard Porter can be installed in the same BUS
- **4 operating modes:** Standard / Direct / Manager / Do not Disturb.
- **Missing calls queue.** Shows the last 25 non-attended calls from the flats.
- **The Central Guard Porter can be set up as INTERNAL or EXTERNAL**

COMPONENTS

REF.	DESCRIPCIÓN
761301	AUDIO CENTRAL GUARD PORTER CCA
760596	COAXLESS CENTRAL GUARD PORTER CCI
730482	CENTRAL GUARD PORTER DESK CONVERTER
167097	USB connector KIT USB connector KIT



SYSTEM COMPLEMENTS





REF.	DESCRIPTION
 <p>715503</p>	<p>ATF-12 POWER SUPPLY UNIT</p> <p>Analog power supply. Entry 220-230 Vac. Output 12Vac 1.2A. Made of high quality ABS. It is mainly used in analog installations. It can also be used in systems where you want to feed a 12Vca door opener up to 1.2A. Can be mounted on the surface or DIN rail (2 elements)</p>
 <p>715303</p>	<p>ALV-1,5 AMP POWER SUPPLY UNIT</p> <p>Switched power supply. Input 100-260 Vac 50-60 Hz. Output 24Vdc 1.5A. Made of high quality ABS. In digital systems Auta allows you to install up to 30 monitors and 50 telephones or 3 elements with simultaneous call. It can be installed on the surface or by DIN rail (3 elements)</p>
 <p>715703</p>	<p>ALV-2,5 AMP POWER SUPPLY UNIT</p> <p>Switched power supply. Input 100-260 Vac 50-60 Hz. Output 24Vdc 2.5A. Made of high quality ABS. In digital systems Auta allows you to install up to 50 monitors and 100 telephones or 5 elements with simultaneous call. It can be installed on the surface or by DIN rail (4 elements)</p>
 <p>730164</p>	<p>PLUG & PLAY RJ45 POWER ADAPTOR</p> <p>Hardwire to PLUG & PLAY adaptor. Used when there is 1 single door entry</p>
 <p>730160</p>	<p>PLUG & PLAY RJ45 ADAPTOR</p> <p>Hardwire to PLUG & PLAY adaptor</p>
 <p>730145</p>	<p>BATTERY MANAGER</p> <p>Allows the connection of back battery.</p>
 <p>730162</p>	<p>PLUG & PLAY DIGITAL LINES SELECTOR SDL</p> <p>Allows 2 communication channels. For P&P systems</p>
 <p>752998</p>	<p>PLUG & PLAY 8 OUTPUTS HUB</p> <p>Video distributor with 8 outputs for installations with UTP cable connected following T568B rule.</p>
 <p>753198</p>	<p>ISO PLUG & PLAY 4 OUTPUTS HUB</p> <p>Fully ISOLATED video distributor with 4 outputs for installations with UTP cable connected following T568B rule. The outputs are FULLY isolated offering a FULLY protection to the connected monitors. Can be ONLY used with the Isolated ISO E-COMPACT monitor.</p>
 <p>730157</p>	<p>PLUG & PLAY TESTER KIT</p> <p>UTP cabling tester KIT. Emitter and Receiver. It works with 9V battery (not included).</p>
 <p>730161</p>	<p>PLUG & PLAY VIDEO SELECTOR</p> <p>Video Selector for P&P systems. Made of high quality ABS plastic. 4 outputs for 4 video door entry panels.. Allows DIN o rack 19"(2 units) montage..</p>
 <p>730212</p>	<p>24V DC MINI RELAY</p> <p>4Vdc relay for digital installations. Allows the connection of normally open normally closed circuits.</p>
 <p>730174</p>	<p>WIRELESS BUZZER HEB KIT</p> <p>Allows the call extention of the monitor/handset. Wireless. Up to 200m a open field. Emission frequency 868 Mhz that allows good reception. 32 selectable melodies. Up to 30 receivers in the same appartment/house</p>

SYSTEM COAX / COAXLESS





- Digital system
- Bus operation that allows Multi-building and Multi-flat installations
- Flexible system with many possibilities

auta





MODULES FOR BUILDINGS

	REF.	DESCRIPTION
	509049	COAXLESS AUDIO MODULE Audio module for COAXLESS and P&P systems. It incorporates COAXLESS video management that allows future extensions of the system. Compatible with COMPACT door entry panels
	509050	AUDIO MODULE Audio module for COAX systems. It incorporates COAXLESS video management that allows future extensions of the system. Compatible with COMPACT door entry panels
	509057	COLOR COAX AUDIO/VIDEO MODULE Audio and video module for COAX systems. Compatible COMPACT door entry panels. It can be installed on systems with B&W monitors
	509058	COLOR COAXLESS AUDIO/VIDEO MODUL Audio and video module for COAXLESS and P&P systems. Compatible COMPACT door entry panels. It can be installed on systems with B&W monitors

MODULES FOR S1 PANELS

	REF.	DESCRIPCIÓN
	509088	COAXLESS AUDIO MODULE FOR S1 PANEL Audio module for COAXLESS and P&P systems. It incorporates COAXLESS video management that allows future extensions of the system. Compatible with COMPACT door entry panels S1
	509079	AUDIO MODULE FOR S1 PANEL Audio module for COAX systems. It incorporates COAX video management that allows future extensions of the system. Compatible with COMPACT door entry panels S1
	509077	COLOR COAXLESS AUDIO/VIDEO MODULE FOR S1 PANEL Audio and video module for COAXLESS and P&P systems. Compatible COMPACT door entry panels S1. It can be installed on systems with B&W monitors
	509074	COLOR COAX AUDIO/VIDEO MODULE FOR S1 PANEL Audio and video module for COAX systems. Compatible COMPACT door entry panels S1. It can be installed on systems with B&W monitors

AUXILIARY MODULES

REF.	DESCRIPTION
 509018	CARDHOLDER MODULE Panoramic retro-illuminated card module. It allows incorporating any type of information deemed necessary into street signs. Compatible with COMPACT entry panels. 24Vdc power supply.
 509048	DIGITAL ADAPTED MODULE Panoramic retro-illuminated card module. Shows system information to people with hearing impairment. Compatible with COMPACT entry panels and DIGITAL systems.
 509005	COLOR COAXDECOR VIDEO MODULE Color module of COAX systems. Compatible with COMPACT y DECOR entry panels. Allows installation with B&W monitors.
 509011	COLOR COAXLESS DECOR VIDEO MODULE Color module of COAXLESS and P&P systems. Compatible with COMPACT y DECOR entry panels. Allows installation with B&W monitors.

MODULE OF CONTROL AND ACCESSORIES

REF.	DESCRIPCIÓN
600013	COMPACT MODULE OF CONTROL Digital module of control for AUDIO, COAX and COAXLESS systems. . Allows calling code data-base setting. Independent Manager of 2 doors. Door sensor management. Central Guard Porter management. Up to 64500 flats and 254 buildings. Opening auxiliary buttons management. Opening time selection. Build-in access control with 1 accesscode for each flat and 4 access codes. Automatic selection of push-button/keypad+display/mix entry panels. Compatible with COMPACT y DECOR digital entry panels
600014	DIRECTORY MODULE OF CONTROL Same benefits as 600013 module of control. Each calling code can have name associated User's research through arrows. ONLY compatible with Directory entry panels.
600018	ALPHA-NUMERIC MODULE OF CONTROL Digital module of control for AUDIO, COAX and COAXLESS systems. Allows the call pressing floor's number and flat's letter. Same benefits as 600013 module of control
600002	CONNECTION MODULE OF ROWS & COLUMNS Allows the link of push-button digital entry panels. Lighting Management. Compatible with All digital systems. Up to 3 entry panels with 66 push-buttons.
600015	MULTI-MODULE OF CONTROL Allows the connection of several modules of control wit ONE AUDIO or AUDIO/VIDEO module. Allows more than 3 entry panels and 66 push-buttons. Compatible with All digital systems.

MONITORS AVANT



Black

White

Stain-

High-end HANDSFREE monitor

- **Extra flat design**
(178 x 142 x 27 mm.) surface
(178 x 142 x 6 mm.) flush
- **Touch buttons**
- **Color screen**
TFT-LCD 5,6"

BLACK	WHITE	STAINLESS	DESCRIPTION
750931	750932	750933	COAX AVANT MONITOR 4 wires + COAX RG-59
750934	750935	750936	COAXLESS AVANT MONITOR 6 wires. Can be installed with CAT 5/6 UTP cable

MONITORS E-COMPACT



White

Black

Handsfree monitor

- **Extra flat design**
(178 x 142 x 33 mm.) surface
(178 x 142 x 10 mm.) flush
- **Handsfree**
- **Color LCD Panoramic screen**
4,3" Format 16:9

BLACK	WHITE	DESCRIPTION
751310	751311	COAX E-COMPACT PLUS MONITOR 4 wires + COAX RG-59
751312	751313	COAXLESS E-COMPACT PLUS MONITOR 6 wires. Can be installed with CAT

REF.	DESCRIPTION
750920	AVANT / E-COMPACT SURFACE BRACKET For ALL AVANT monitors regardless the system.
750921	AVANT / E-COMPACT MOUNTING BOX Flush mounting box (W 179 x H 152 x D 35 mm)
750922	AVANT / E-COMPACT MONITOR FRAME Fush mouting frame. Black and White color.
750923	AVANT / E-COMPACT DESK-CONVERTER Made of metracilat. BLUE LEDs
750924	AVANT / E-COMPACT NON-CONVENTIONAL FIXING For non conventional fixing; pladur, wood...etc. Includes de frame (black or white color):



MONITORS COMPACT



COMPACT MONITOR



SILVER COMPACT MONITOR



INTERCOM COMPACT MONITOR

REF.	DESCRIPTION
752105	COLOR DIGITAL COMPACT MONITOR 4 + COAX RG-59 or 6 wires (CAT 5/6 UTP cable)
752705	SILVER COLOR DIGITAL COMPACT MONITOR 4 + COAX RG-59 or 6 wires (CAT 5/6 UTP cable)
750299	BRACKET FOR COAX COMPACT MONITOR 4 + COAX RG-59
750399	BRACKET FOR COAXLESS COMPACT MONITOR 6 wires (CAT 5/6 UTP cable)
730482	COMPACT MONITOR DESK CONVERTER



HANDSETS COMPACT



COMPACT HANDSET



SILVER COMPACT HANDSET

REF.	DESCRIPTION
700005	BASIC DIGITAL COMPACT HANDSET 4 wires. Can be installed with CAT 5/6 UTP cable
700105	DIGITAL COMPACT HANDSET 4 wires. Can be installed with CAT 5/6 UTP cable
701005	SILVER DIGITAL COMPACT HANDSET 4 wires. Can be installed
507030	HANDSET DESK CONVERTER



CENTRAL GUARD PORTER COAX / COAXLESS



CENTRAL GUARD PORTER Audio/Video

CENTRAL DIMENSIONS:
19,5 x 23 x 5cm.

TFT color screen
O.S.D technology.



CENTRAL GUARD PORTER Audio

CENTRAL DIMENSIONS:
8,5 x 23 x 5cm.

FUNCTIONING

Receives all income calls from the entry panel. Can transfer the received call directly. Also can consult the tenant if the call wanted to be attended.

Receives calls from All apartments.

Missing calls queue. Shows the last 25 unattended calls received from the apartments.

MUTE option.

Monitoring of all calls.

DO NOT DISTURB mode. If the call from the entry panels is not answered at the Central Guard Porter it will Not be transferred to the apartment.

Up to 15 Central Guard Porter can be installed in the same BUS. Intercom between the Central Guard Porters.

MANAGER mode. The central guard porter only receives calls from other central guard porter

COMMUNICATION

PANEL <> CENTRAL / CENTRAL <> FLAT /

FLAT <> CENTRAL / PANEL <> FLAT /

CENTRAL <> CENTRAL

MAIN FEATURES

- **Multi-central.** Up to 15 Central Guard Porter can be installed in the same BUS
- **4 operating modes:** Standard / Direct / Manager / Do not Disturb.
- **Missing calls queue.** Shows the last 25 non-attended calls from the flats.
- **The Central Guard Porter can be set up as INTERNAL or EXTERNAL**

COMPONENTS







REF.	DESCRIPTION
761301	AUDIO CENTRAL GUARD PORTER CCA
760595	COAX CENTRAL GUARD PORTER CCI
760596	COAXLESS CENTRAL GUARD PORTER CCI
730482	CENTRAL GUARD PORTER DESK CONVERTER
167097	USB connector KIT



SYSTEM COMPLEMENTS

REF.	DESCRIPTION
 715503	ATF-12 POWER SUPPLY UNIT Analog power supply. Entry 220-230 Vac. Output 12Vac 1.2A. Made of high quality ABS. It is mainly used in analog installations. It can also be used in systems where you want to feed a 12Vca door opener up to 1.2A. Can be mounted on the surface or DIN rail (2 elements)
 715303	ALV-1,5 AMP POWER SUPPLY UNIT Switched power supply. Input 100-260 Vac 50-60 Hz. Output 24Vdc 1.5A. Made of high quality ABS. In digital systems Auta allows you to install up to 30 monitors and 50 telephones or 3 elements with simultaneous call. It can be installed on the surface or by DIN rail (3 elements)
 715703	ALV-2,5 AMP POWER SUPPLY UNIT Switched power supply. Input 100-260 Vac 50-60 Hz. Output 24Vdc 2.5A. Made of high quality ABS. In digital systems Auta allows you to install up to 50 monitors and 100 telephones or 5 elements with simultaneous call. It can be installed on the surface or by DIN rail (4 elements)
 730145	BATTERY MANAGER Allows the connection of back battery.
 730137	DIGITAL LINES SELECTOR SDL One independent line per SDL. Suitable for COAX and COAXLESS systems
 730149	INTERIOR DIGITAL LINES SELECTOR SDI One independent line per FLAT. Suitable for COAX and COAXLESS systems.x.
 730154	FLOOR DIGITAL LINES SELECTOR SDP One independent line per FLOOR. Suitable for COAX and COAXLESS systems.
 730150	DRP-1 DIGITAL Interface that allows the connection with other devices without additional cables. Multiple applications: Security (CCTV cameras), home management, building management..etc For COAX and COAXLESS systems.
 750498	COAXIAL VIDEO DISTRIBUTOR DV4-CS 4 OUTPUTS 4 outputs allowing up to 4 monitors. . For COAX systems.
 753098	COAXLESS MINI DISTRIBUTOR 4 OUTPUTS 2 double outputs allowing up to 4 monitors. . For COAXLESS/VISUALTECH systems.
 730131	DIGITAL BUZZER Allows the call extension of the monitor/handset. 2 wires. Compatible with All digital monitors and handsets.
 730174	WIRELESS BUZZER HEB KIT Allows the call extension of the monitor/handset. Wireless. Up to 200m a open field. Emission frequency 868 Mhz that allows good reception. 32 selectable melodies. Up to 30 receivers in the same apartment/house

SYSTEM COMPLEMENTS

REF.	DESCRIPTION
 730140	UNIVERSAL VIDEO SELECTOR SV-U Universal video switcher for COAX and COAXLESS installations. 2 inputs / 1 output.
 730143	COAX VIDEO AMPLIFIER 24 Vdc. Gain between -2dB y 6dB. 1 input and 2 amplified outputs.
 730144	COAXLESS VIDEO AMPLIFIER 24 Vdc. Gain between -2dB y 6dB. 1 input and 2 amplified outputs.
 730141	COAX TO COAXLESS CONVERTER Converts COAX video signal to COAXLESS video signal. To be installed together with the ref.. 730140, Allows the installation of a second camera
 730142	COAXLESS TO COAX CONVERTER Converts COAXLESS video signal to COAX video signa
 730212	24V DC MINI RELAY 24Vdc relay for digital installations. Allows the connection of normally open normally closed circuits.





SYSTEM

INTERCOM





- Intercommunication in homes. Up to 15 indoor units in the house.
- Inner intercommunication, ideal for offices and commercial premises. Up to 63 indoor units.

auta





MODULES FOR BUILDINGS

REF.	DESCRIPTION
 509049	COAXLESS AUDIO MODULE Audio module for COAXLESS and P&P systems. It incorporates COAXLESS video management that allows future extensions of the system. Compatible with COMPACT door entry panels
 509050	AUDIO MODULE Audio module for COAX systems. It incorporates COAXLESS video management that allows future extensions of the system. Compatible with COMPACT door entry panels
 509057	COLOR COAX AUDIO/VIDEO MODULE Audio and video module for COAX systems. Compatible COMPACT door entry panels. It can be installed on systems with B&W monitors
 509058	COLOR COAXLESS AUDIO/VIDEO MODULE Audio and video module for COAXLESS and P&P systems. Compatible COMPACT door entry panels. It can be installed on systems with B&W monitors

MODULES FOR S1 PANELS

REF.	DESCRIPTION
 509088	COAXLESS AUDIO MODULE FOR S1 PANEL Audio module for COAXLESS and P&P systems. It incorporates COAXLESS video management that allows future extensions of the system. Compatible with COMPACT door entry panels S1
 509079	AUDIO MODULE FOR S1 PANEL Audio module for COAX systems. It incorporates COAX video management that allows future extensions of the system. Compatible with COMPACT door entry panels S1
 509077	COAXLESS AUDIO/MODULE FOR S1 PANEL Audio and video module for COAXLESS and P&P systems. Compatible COMPACT door entry panels S1. It can be installed on systems with B&W monitors
 509074	COAX AUDIO/VIDEO MODULE FOR S1 PANEL Audio and video module for COAX systems. Compatible COMPACT door entry panels S1. It can be installed on systems with B&W monitors

AUXILIARY MODULES

REF.	DESCRIPTION
 509018	CARDHOLDER MODULE Panoramic retro-illuminated card module. It allows incorporating any type of information deemed necessary into street signs. Compatible with COMPACT entry panels. 24Vdc power supply.
 509048	DIGITAL ADAPTED MODULE Panoramic retro-illuminated card module. Shows system information to people with hearing impairment. Compatible with COMPACT entry panels and DIGITAL systems.
 509005	COLOR COAX DECOR VIDEO MODULE Color module of COAX systems. Compatible with COMPACT y DECOR entry panels. Allows installation with B&W monitors.
 509011	COLOR COAXLESS DECOR VIDEO MODULE Color module of COAXLESS and P&P systems. Compatible with COMPACT y DECOR entry panels. Allows installation with B&W monitors.

MODULE OF CONTROL AND ACCESSORIES

REF.	DESCRIPTION
600013	COMPACT MODULE OF CONTROL Digital module of control for AUDIO, COAX and COAXLESS systems. . Allows calling code data-base setting. Independent Manager of 2 doors. Door sensor management. Central Guard Porter management. Up to 64500 flats and 254 buildings. Opening auxiliary buttons management. Opening time selection. Build-in access control with 1 accesscode for each flat and 4 access codes. Automatic selection of push-button/keypad+display/mix entry panels. Compatible with COMPACT y DECOR digital entry panels
600014	DIRECTORY MODULE OF CONTROL Same benefits as 600013 module of control. Each calling code can have name associated User's research through arrows. ONLY compatible with Directory entry panels.
600018	ALPHA-NUMERIC MODULE OF CONTROL Digital module of control for AUDIO, COAX and COAXLESS systems. Allows the call pressing floor's number and flat's letter. Same benefits as 600013 module of control
600016	P&P MODULE OF CONTROL Digital module of control for P&P systems. Not screws required. Connection with RJ-45 connectors. Allows calling code data-base setting. Independent Manager of 2 doors. Door sensor management. Central Guard Porter management. Up to 64500 flats and 254 buildings. Opening auxiliary buttons management. Opening time selection. Build-in access control with 1 accesscode for each flat and 4 access codes. Automatic selection of push-button/keypad+display/mix entry panels. Compatible with COMPACT y DECOR digital entry panels
600002	CONNECTION MODULE OF ROWS & COLUMNS Allows the link of push-button digital entry panels. Lighting Management. Compatible with All digital systems. Up to 3 entry panels with 66 push-buttons.
600015	MULTI-MODULE OF CONTROL Allows the connection of several modules of control wit ONE AUDIO or AUDIO/VIDEO module. Allows more than 3 entry panels and 66 push-buttons. Compatible with All digital systems.

MONITORS AVANT



Black



White



Stainless Steel

High-end HANDSFREE monitor

■ Extra flat design

(178 x 142 x 27 mm.) surface
(178 x 142 x 6 mm.) flush

■ Touch buttons

■ Color screen
TFT-LCD 5,6"

BLACK	WHITE	STAINLESS	DESCRIPTION
750941	750942	750943	COAX INTERCOM AVANT MONITOR 4 wires + COAX RG-59
750944	750945	750946	MONITOR AVANT NO COAX INTERCOM 6 wires. Can be installed with CAT 5/6 UTP cable

REF.	DESCRIPTION
750920	AVANT / E-COMPACT SURFACE BRACKET
750921	AVANT / E-COMPACT MOUNTING BOX Flush mounting box (W 179 x H 152 x D 35 mm)
750922	AVANT / E-COMPACT MONITOR FRAME Flush mounting frame. Black and White color.
750923	AVANT / E-COMPACT DESK-CONVERTER Made of metracilat. BLUE LEDs
750924	AVANT / E-COMPACT NON-CONVENTIONAL FIXING For non conventional fixing; pladur, wood...etc. Includes de frame (black or white color):



MONITORS COMPACT



COMPACT INTERCOM MONITOR WITHOUT KEYPAD



COMPACT INTERCOM MONITOR WITH KEYPAD

REF.	DESCRIPTION
754205	COLOR DIGITAL INTERCOM COMPACT MONITOR WITHOUT KEYPAD 4 wires + COAX RG-59 or 6 wires (can be installed with CAT 5/6 UTP cable). Internal INTERCOM up to 6 units in the same house or flat.
754305	COLOR DIGITAL INTERCOM COMPACT MONITOR WITH KEYPAD 4 wires + COAX RG-59 or 6 wires (can be installed with CAT 5/6 UTP cable). Internal INTERCOM up to 15 units in the same house or flat.
750299	BRACKET FOR COAX COMPACT MONITOR 4 + COAX RG-59
750399	BRACKET FOR COAXLESS COMPACT MONITOR 6 wires (CAT 5/6 UTP cable)
750599	P&P BRACKET FOR COMPACT MONITOR Works with CAT 5/6 100% copper cable
730482	PEANA MONITOR SOBREMESA



HANDSETS COMPACT



COMPACT INTERCOM HANDSET WITHOUT KEYPAD



COMPACT INTERCOM HANDSET WITH KEYPAD

REF.	DESCRIPTION
702105	INTERCOM COMPACT HANDSET WITHOUT KEYPAD 4 wires (can be installed with CAT 5/6 UTP cable). Internal INTERCOM up to 6 units in the same house
702205	INTERCOM COMPACT HANDSET WITH KEYPAD 4 wires (can be installed with CAT 5/6 UTP cable). Internal INTERCOM up to 15 units in the same house
507030	COMPACT HANDSET DESK CONVERTER



CENTRAL GUARD PORTER INTERCOM



CENTRAL GUARD PORTER Audio/Video

DIMENSIONES : 19,5 x 23 x 5cm.

TFT color screen

O.S.D Technology.



CENTRAL GUARD PORTER: Audio

DIMENSIONES: 8,5 x 23 x 5cm.

FUNCTIONING

Receives all income calls from the entry panel. Can transfer the received call directly. Also can consult the tenant if the call wanted to be attended.

Receives calls from All apartments.

Missing calls queue. Shows the last 25 unattended calls received from the apartments.

MUTE option.

Monitoring of all calls.

DO NOT DISTURB mode. If the call from the entry panels is not answered at the Central Guard Porter it will Not be transferred to the apartment.

Up to 15 Central Guard Porter can be installed in the same BUS. Intercom between the Central Guard Porters.

MANAGER mode. The central guard porter only receives calls from other central guard porter

COMMUNICATION

PANEL <> CENTRAL / CENTRAL <> FLAT /

FLAT <> CENTRAL / PANEL <> FLAT /

CENTRAL <> CENTRAL

MAIN FEATURES












- **Multicentral.** Up to 15 Central Guard Porter can be installed in the same BUS
- **4 operating modes:** Standard / Direct / Manager / Do not Disturb.
- **Missing calls queue.** Shows the last 25 non-attended calls from the flats.
- **The Central Guard Porter can be set up as INTERNAL or EXTERNAL**

COMPONENTS











REF.	DESCRIPTION
761301	AUDIO CENTRAL GUARD PORTER CCA
760595	COAX CENTRAL GUARD PORTER CCI
760596	COAXLESS CENTRAL GUARD PORTER CCI
730482	CENTRAL GUARD PORTER DESK CONVERTER
167097	USB connector KIT



SYSTEM COMPLEMENTS

REF.	DESCRIPTION:
 715503	ATF-12 POWER SUPPLY UNIT Analog power supply. Entry 220-230 Vac. Output 12Vdc 1.2A. Made of high quality ABS. It is mainly used in analog installations. It can also be used in systems where you want to feed a 12Vca door opener up to 1.2A. Can be mounted on the surface or DIN rail (2 elements)
 715303	ALV-1,5 AMP POWER SUPPLY UNIT Switched power supply. Input 100-260 Vac 50-60 Hz. Output 24Vdc 1.5A. Made of high quality ABS. In digital systems Auta allows you to install up to 30 monitors and 50 telephones or 3 elements with simultaneous call. It can be installed on the surface or by DIN rail (3 elements)
 715703	ALV-2,5 A POWER SUPPLY UNIT Switched power supply. Input 100-260 Vac 50-60 Hz. Output 24Vdc 2.5A. Made of high quality ABS. In digital systems Auta allows you to install up to 50 monitors and 100 telephones or 5 elements with simultaneous call.
 730145	BATTERY MANAGER Allows the connection of back battery.
 730137	DIGITAL LINES SELECTOR (SDL) One independent line per SDL. Suitable for COAX and COAXLESS systems
 730149	INTERIOR DIGITAL LINES SELECTOR SDi One independent line per FLAT. Suitable for COAX and COAXLESS systems.x.
 730154	FLOOR DIGITAL LINES SELECTOR SDP One independent line per FLOOR. Suitable for COAX and COAXLESS systems.
 730150	DRP-1 DIGITAL Interface that allows the connection with other devices without additional cables. Multiple applications: Security (CCTV cameras), home management, building management..etc For COAX and COAXLESS systems.
 730164	PLUG & PLAY RJ45 POWER ADAPTOR hardwire to PLUG & PLAY adaptor. Used when there is 1 single door entry
 730160	PLUG & PLAY RJ45 ADAPTOR hardwire to PLUG & PLAY adaptor.
 750498	COAXIAL VIDEO DISTRIBUTOR DV4-CS 4 OUTPUTS 4 outputs allowing up to 4 monitors. . For COAX systems.
 753098	COAXLESS MINI DISTRIBUTOR 4 OUTPUTS 2 double outputs allowing up to 4 monitors. . For COAXLESS/VISUALTECH systems.
 730131	DIGITAL BUZZER Allows the call extension of the monitor/handset. 2 wires. Compatible with All digital monitors and handsets.
 730174	WIRELESS BUZZER HEB KIT Allows the call extension of the monitor/handset. Wireless. Up to 200m a open field. Emission frequency 868 Mhz that allows good reception. 32 selectable melodies. Up to 30 receivers in the same apartment/house

SYSTEM COMPLEMENTS

REF.	DESCRIPTION
 730140	UNIVERSAL VIDEO SELECTOR SV-U Universal video switcher for COAX and COAXLESS installations. 2 inputs / 1 output.
 730143	COAX VIDEO AMPLIFIER 24 Vdc. Gain between -2dB y 6dB. 1 input and 2 amplified outputs.
 730144	COAXLESS VIDEO AMPLIFIER 24 Vdc. Gain between -2dB y 6dB. 1 input and 2 amplified outputs.
 730141	COAXLESS TO COAX CONVERTER l.Convertes COAXLESS video signal to COAX video sign
 730142	COAX TO COAXLESS CONVERTER Converts COAX video signal to COAXLESS video signal. To be installed together with the ref.. 730140, Allows the installation of a second camera
 730212	24V DC MINI RELAY 24Vdc relay for digital installations. Allows the connection of normally open normally closed circuits.
 730162	PLUG & PLAY DIGITAL LINES SELECTOR SDL Allows 2 communication channels. For P&P systems
 752998	PLUG & PLAY 8 OUTPUTS HUB Video distributor with 8 outputs for installations with UTP cable connected following T568B rule.
 730157	PLUG & PLAY TESTER KIT Video Selector for P&P systems. Made of high quality ABS plastic. 4 outputs for 4 video door entry panels.. Allows DIN o rack 19"(2 units) montage..
 730161	PLUG & PLAY VIDEO SELECTOR Video Selector for P&P systems. Made of high quality ABS plastic. 4 outputs for 4 video door entry panels.. Allows DIN o rack 19"(2 units) montage..

INTERNAL INTERCOMMUNICATION SYSTEM (WITHOUT ENTRY PANEL)




INTERNAL INTERCOM HANDSET WITHOUT KEYPAD





INTERNAL INTERCOM HANDSET WITH KEYPAD



INTERNAL INTERCOM HANDSET WITH KEYPAD & DISPLAY

REF.	DESCRIPTION
701805	INTERNAL INTERCOM HANDSET WITHOUT KEYPAD Internal intercommunication system. All to All. 4 wires (can be installed with CAT 5*6 UTP. Up to 6 units.
701905	INTERNAL INTERCOM HANDSET WITH KEYPAD Internal intercommunication system. All to All. 4 wires (can be installed with CAT 5*6 UTP. Up to 63 units.
702005	INTERNAL INTERCOM HANDSET WITH KEYPAD AND DISPLAY Internal intercommunication system. All to All. 4 wires (can be installed with CAT 5*6 UTP. Up to 63 units
	507030 HANDSET DESK CONVERTER

POWER SUPPLY UNITS

REF.	DESCRIPTION
	715303 ALV-1,5 AMP POWER SUPPLY UNIT Switched power supply. Input 100-260 Vac 50-60 Hz. Output 24Vdc 1.5A. Made of high quality ABS. In digital systems Auta allows you to install up to 30 monitors and 50 telephones or 3 elements with simultaneous call. It can be installed on the surface or by DIN rail (3 elements)
	715703 ALV-2,5 AMP POWER SUPPLY UNIT Switched power supply. Input 100-260 Vac 50-60 Hz. Output 24Vdc 2.5A. Made of high quality ABS. In digital systems Auta allows you to install up to 50 monitors and 100 telephones or 5 elements with simultaneous call.



SYSTEM

ANALOG


- Conventional analog audio system
- Elements compatible with other manufacturers of conventional analog systems

auta

MODULES

REF.	DESCRIPTION
 509046	UNIVERSAL ANALOG AUDIO MODULE Analog audio module for conventional 4+N systems. Compatible with other analog audio systems. Compatible also with COMPACT analog entry panels.
 509051	ANALOG AUDIO MODULE Analog audio module for conventional 4+N systems. Compatible with COMPACT analog entry panels.

AUXILIARY MODULES

REF.	DESCRIPTION
 509030	CARDHOLDER MODULE Panoramic retro-illuminated card module. It allows incorporating any type of information deemed necessary into street signs. Compatible with COMPACT entry panels. 24Vdc power supply.





HANDSET COMPACT





ANALOG
COMPACT
HANDSET

REF.	DESCRIPTION
700305	ANALOG COMPACT HANDSET For conventional 4+N systems
700505	UNIVERSAL ANALOG COMPACT HANDSET For conventional 4+N systems. Compatible with other conventional audio systems.

SYSTEM COMPLEMENTS

REF.	DESCRIPTION
 715503	ATF-12 POWER SUPPLY UNIT Analog power supply. Entry 220-230 Vac. Output 12Vac 1.2A. Made of high quality ABS. It is mainly used in analog installations. It can also be used in systems where you want to feed a 12Vca door opener up to 1.2A. Can be mounted on the surface or DIN rail (2 elements)
 730125	CA-2C AUDIO SWITCHER To switch audio between panels. One feeds 2 panels.
 730211	MINI ELECTRONIC RELAY For analog installations with Electronic Call. Allows Normally Open and Normally Closed circuits
 730213	12VAC MINI RELAY Universal 12VAC relay. Allows Normally Open and Normally Closed circuits

ANALOG VIDEO REPLACEMENT

REF.	DESCRIPTION
MONITORS	
 751098	COLOR ANALOG DECOR MONITOR For AUTA analog audio/video systems. Compatible in installations with the following Analog monitors: AV-96 (750196), B&W DECOR (750698). Connection bracket included.
 751305	COLOR COMPACT AC-900N ANALOG MONITOR For AUTA analog audio/video systems. Compatible in installations with the following Analog monitors: AV-79N, AV-793, AV-870. Connection bracket included
POWER SUPPLY	
719902	REPLACEMENT KIT FOR ANALOG AUDIO SYSTEMS Replacement KIT for analog AUTA audio systems. For installations with the following PSU: ATF-80, ATF-91, ATF-92.
719903	REPLACEMENT KIT FOR ANALOG A/V SYSTEMS Replacement KIT for analog AUTA audio/video systems. For installations with the following PSU: ALK-79, ALV-79, ALK-95, ALV-95, ALK-96, ALV-96.

KITS

- Houses
- Buildings

auta

DIGITAL VIDEO KITS

All digital Video kits include: Complete entry panel + Mounting box + Power Supply Unit + Video distributor + monitor/s.

Dimensios

■ **SERIES 1**

Box: 132 x 122 x 60 mm.
Panel: 145 x 130 mm.

■ **SERIES 2**

Box: 203 x 130 x 60 mm.
Panel: 215 x 130 mm.

■ **SERIES 3**

Box: 248 x 130 x 60 mm.
Panel: 262 x 130 mm.





■ **SERIES 4**

Box: 319 x 130 x 60 mm.
Panel: 330 x 130 mm.

■ **SERIES 5**

Box: 390 x 130 x 60 mm.
Panel: 400 x 130 mm.

REFERENCE

SERIES 1	COAX	COAXLES	VISUALTECH	DESCRIPTION
	746721	746921	746821	1 WAY KIT KVD-1 with COLOR COMPACT MONITOR
	747701	747731	747801	1 WAY KIT KVD-1 with E-COMPACT MONITOR
	747501	747541	747521	1 WAY KIT KVD-1 with AVANT MONITOR
	746722	746922	746822	2 WAY KIT KVD-2 with COLOR COMPACT MONITOR
	747702	747732	747802	2 WAY KIT KVD-2 with E-COMPACT MONITOR
	747512	747552	747524	2 WAY KIT KVD-2 with AVANT MONITOR
SERIES	COAX	NO COAX	VISUALTECH	DESCRIPTION
	746723	746923	746823	3 WAY KIT KVD-3 with COLOR COMPACT MONITOR
	747703	747733	747803	3 WAY KIT KVD-3 with E-COMPACT MONITOR
	747513	747553	747525	3 WAY KIT KVD-3 with AVANT MONITOR
				2 WIRES
			746011	1 WAY KIT KVD-1 with 2 WIRES COMPACT MONITOR 1 2
			746012	2 WAY KIT KVD-2 with 2 WIRES COMPACT MONITOR 1
			746013	3 WAY KIT KVD-3 with 2 WIRES COMPACT MONITOR
SERIES	COAX	COAXLES	VISUALTECH	DESCRIPTION
	746724	746924	746824	4 WAY KIT KVD-4 with COLOR COMPACT MONITOR
	747704	747734	747804	4 WAY KIT KVD-4 with E-COMPACT MONITOR
	747514	747554	747526	4 WAY KIT KVD-4 with AVANT MONITOR
				2 WIRES
			746014	4 WAY KIT KVD-4 with 2 WIRES COMPACT MONITOR



MONITOR
COMPACT




MONITOR
AVANT






MONITOR
E-COMPACT


REFERENCE


SERIES 2	COAX	COAXLES	VISUALTECH	DESCRIPTION
	746725	746925	746825	5 WAY KIT KVD-5 with COLOR COMPACT MONITOR
	747705	747735	747805	5 WAY KIT KVD-5 with E-COMPACT MONITOR
	747574	747578	747527	5 WAY KIT KVD-5 with AVANT MONITOR
			2 WIRES	
			746015	5 WAY KIT KVD-5 with 2 WIRES COMPACT MONITOR
SERIES	COAX	COAXLES	VISUALTECH	DESCRIPTION
	746726	746926	746826	6 WAY KIT KVD-6 with COLOR COMPACT MONITOR
	747706	747736	747806	6 WAY KIT KVD-6 with E-COMPACT MONITOR
	747517	747555	747528	6 WAY KIT KVD-6 with AVANT MONITOR
			2 WIRES	
			746016	6 WAY KIT KVD-6 with 2 WIRES COMPACT MONITOR
SERIES 2	COAX	COAXLES	VISUALTECH	DESCRIPTION
	746727	746927	746827	7 WAY KIT KVD-7 with COLOR COMPACT MONITOR
	747707	747737	747807	7 WAY KIT KVD-7 with E-COMPACT MONITOR
	747575	747579	747529	7 WAY KIT KVD-7 with AVANT MONITOR
			2	
			746017	7 WAY KIT KVD-7 with 2 WIRES COMPACT MONITOR
SERIES 2	COAX	COAXLES	VISUALTECH	DESCRIPTION
	746728	746928	746828	8 WAY KIT KVD-8 with COLOR COMPACT MONITOR
	747708	747738	747808	8 WAY KIT KVD-8 with E-COMPACT MONITOR
	747518	747556	747530	8 WAY KIT KVD-8 with AVANT MONITOR
			2 WIRES	
			746018	8 WAY KIT KVD-8 with 2 WIRES COMPACT MONITOR
SERIES 3	COAX	COAXLES	VISUALTECH	DESCRIPTION
	746729	746929	746829	9 WAY KIT KVD-9 with COLOR COMPACT MONITOR
	747709	747739	747809	9 WAY KIT KVD-9 with E-COMPACT MONITOR
	747576	747580	747539	9 WAY KIT KVD-9 with AVANT MONITOR
			2 WIRES	
			746019	9 WAY KIT KVD-9 with 2 WIRES COMPACT MONITOR

KITS VIDEO DIGITAL









REFERENCE				
SERIES 3	COAX	COAXLES	VISUALTECH	DESCRIPTION
	746730	746930	746830	10 WAY KIT KVD-10 with COLOR COMPACT MONITOR
	747710	747740	747810	10 WAY KIT KVD-10 with E-COMPACT MONITOR
	747519	747557	747540	10 WAY KIT KVD-10 with AVANT MONITOR
				2 WIRES
			746020	10 WAY KIT KVD-10 with 2 WIRES COMPACT MONITOR
SERIES 3	COAX	COAXLES	VISUALTECH	DESCRIPTION
	746731	746931	746831	11 WAY KIT KVD-11 with COLOR COMPACT MONITOR
	747711	747741	747811	11 WAY KIT KVD-11 with E-COMPACT MONITOR
	747577	747581	747559	11 WAY KIT KVD-11 with AVANT MONITOR
				2 WIRES
			746021	11 WAY KIT KVD-11 with 2 WIRES COMPACT MONITOR
SERIES	COAX	COAXLES	VISUALTECH	DESCRIPTION
	746732	746932	746832	12 WAY KIT KVD-12 with COLOR COMPACT MONITOR
	747712	747742	747812	12 WAY KIT KVD-12 with E-COMPACT MONITOR
	747520	747558	747560	12 WAY KIT KVD-12 with AVANT MONITOR
				2 WIRES
			746022	12 WAY KIT KVD-12 with 2 WIRES COMPACT MONITOR

STAINLESS STEEL KITS

REF.	DESCRIPTION
 749521	1 WAY ANALOG KIT KF-1 with STAINLESS STEEL PANEL
749571	1 WAY ANALOG KIT KF-1 with STAINLESS STEEL PANEL








REFERENCE				
COAX	COAXLES	VISUALTECH	DESCRIPTION	
	746564	746979	746606	1 WAY KIT with COMPACT MONITOR & STAINLESS P
	747715	747745	747815	1 WAY KIT with E-COMPACT MONITOR & STAINLESS P
	747511	747550	747551	1 WAY KIT with AVANT MONITOR & STAINLESS P
				2 WIRES
			746031	1 WAY KIT with 2 WIRES COMPACT MONITOR & STAINLESS P

ACCESS CONTROL KITS

	REF.	DESCRIPTION
	746751	1 WAY KIT with COAX COMPACT MONITOR & PROXIMITY READER
	747767	1 WAY KIT with COAX E-COMPACT MONITOR & PROXIMITY READER
	747567	1 WAY KIT with COAX AVANT MONITOR & PROXIMITY READER
	746750	1 WAY KIT with COAX COMPACT MONITOR & AUTA KEY
	747713	1 WAY KIT with COAX E-COMPACT MONITOR & AUTA KEY
	747504	1 WAY KIT with COAX AVANT MONITOR & AUTA KEY
	746951	1 WAY KIT with COAXLESS COMPACT MONITOR & PROXI-
	746950	1 WAY KIT with COAXLESS COMPACT MONITOR & AUTA KEY
	749728	AUTA KEY KIT
	749729	PROXIMITY READER KIT
	749720	1 WAY ANALOG KIT WITH PROXIMITY READER
	749721	1 WAY ANALOG KIT WITH AUTA KEY

DIGITAL AUDIO KITS

All digital Audio kits include: Complete entry panel + Mounting box + Power Supply Unit + Video distributor + BASIC COMPACT handset ref. 700005

	REF.	DESCRIPTION
 x1	749811	1 WAY KIT KFD-1 with BASIC COMPACT HANDSET With Series 1 entry panel
 x2	749812	2 WAY KIT KFD-2 with BASIC COMPACT HANDSET With Series 1 entry panel
 x3	749813	3 WAY KIT KFD-3 with BASIC COMPACT HANDSET With Series 2 entry panel
 x4	749814	4 WAY KIT KFD-4 with BASIC COMPACT HANDSET With Series 2 entry panel
 x5	749815	5 WAY KIT KFD-5 with BASIC COMPACT HANDSET With Series 2 entry panel
 x6	749816	6 WAY KIT KFD-6 with BASIC COMPACT HANDSET With Series 2 entry panel
 x7	749817	7 WAY KIT KFD-7 with BASIC COMPACT HANDSET With Series 2 entry panel

Dimensiones

■ SERIE 1

Caja: 132 x 122 x 60 mm.
Placa: 145 x 130 mm.

■ SERIE 3

Caja: 248 x 130 x 60 mm.
Placa: 262 x 130 mm.

■ SERIE 5






Caja: 390 x 130 x 60 mm.
Placa: 400 x 130 mm.

■ SERIE 2

Caja: 203 x 130 x 60 mm.
Placa: 215 x 130 mm.

■ SERIE 4

Caja: 319 x 130 x 60 mm.
Placa: 330 x 130 mm.

	REF.	DESCRIPTION
	x8 749818	8 WAY KIT KFD-8 with BASIC COMPACT HANDSET With Series 2 entry panel
	x9 749819	9 WAY KIT KFD-9 with BASIC COMPACT HANDSET With Series 3 entry panel
	x10 749820	10 WAY KIT KFD-10 with BASIC COMPACT HANDSET With Series 3 entry panel
	x11 749821	11 WAY KIT KFD-11 with BASIC COMPACT HANDSET With Series 3 entry panel
	x12 749822	12 WAY KIT KFD-12 with BASIC COMPACT HANDSET With Series 3 entry panel

ANALOG AUDIO KITS

Conventional installation: 4+n

All Analog Audio kits include: Complete entry panel + Mounting box + Power Supply Unit + Video distributor + ANALOG COMPACT handset ref. 700305

Dimensions

SERIES

box: 132 x 122 x 60 mm.
panel: 145 x 130 mm.

SERIES 2

box: 203 x 130 x 60 mm.
panel: 215 x 130 mm.

SERIES

box: 248 x 130 x 60 mm.
panel: 262 x 130 mm.







SERIES 4





box: 319 x 130 x 60 mm.
panel: 330 x 130 mm.

SERIES 5

box: 390 x 130 x 60 mm.
panel: 400 x 130 mm.



	REF.	DESCRIPTION
	749701	1 WAY ANALOG AUDIO KIT KF-1 With Series 1 entry panel
	749702	2 WAY ANALOG AUDIO KIT KF-2 With Series 1 entry panel
	749703	3 WAY ANALOG AUDIO KIT KF-3 With Series 2 entry panel
	749704	4 WAY ANALOG AUDIO KIT KF-4 With Series 2 entry panel
	749705	5 WAY ANALOG AUDIO KIT KF-5 With Series 2 entry panel
	749706	6 WAY ANALOG AUDIO KIT KF-6 With Series 2 entry panel
	749707	7 WAY ANALOG AUDIO KIT KF-7 With Series 2 entry panel
	749708	8 WAY ANALOG AUDIO KIT KF-8 With Series 2 entry panel

REF.	DESCRIPTION
	749709 9 WAY ANALOG AUDIO KIT KF-9 With Series 3 entry panel
	749710 10 WAY ANALOG AUDIO KIT KF-10 With Series 3 entry panel
	749711 11 WAY ANALOG AUDIO KIT KF-11 With Series 3 entry panel
	749712 12 WAY ANALOG AUDIO KIT KF-12 With Series 3 entry panel
	749714 14 WAY ANALOG AUDIO KIT KF-14 With Series 4 entry panel
	749543 1 WAY ANALOG AUDIO 2HT KIT KF-1-2HT With Series 1 entry panel INSTALLATION WITH 2 WIRES

INTERCOMMUNICATION KITS



INTERCOM
AVANT



INTERCOM
COMPACT



INTERCOM
HANDSET

REF.	DESCRIPTION
747640	1 WAY INTERCOM KIT + 2 BLACK COAXLESS AVANT MONITOR
747902	1 WAY INTERCOM KIT + 2 COAXLESS COMPACT MONITOR
749402	1 WAY INTERCOM KIT + 2 HANDSETS
747641	1 WAY INTERCOM KIT + 3 BLACK COAXLESS AVANT MONITOR
747903	1 WAY INTERCOM KIT + 3 COAXLESS COMPACT MONITOR
749403	1 WAY INTERCOM KIT + 3 HANDSETS
747642	1 WAY INTERCOM KIT + 4 BLACK COAXLESS AVANT MONITOR
747904	1 WAY INTERCOM KIT + 4 COAXLESS COMPACT MONITOR
749404	1 WAY INTERCOM KIT + 4 HANDSETS










INTERCOMMUNICATION KITS

REF.	DESCRIPTION
747643	1 WAY INTERCOM KIT + 5 BLACK COAXLESS AVANT MONITOR
747905	1 WAY INTERCOM KIT + 5 COAXLESS COMPACT MONITOR
749405	1 WAY INTERCOM KIT + 5 HANDSETS
747644	1 WAY INTERCOM KIT + 6 BLACK COAXLESS AVANT MONITOR
747906	1 WAY INTERCOM KIT + 6 COAXLESS COMPACT MONITOR
749406	1 WAY INTERCOM KIT + 6 HANDSETS
747645	1 WAY INTERCOM KIT + 7 BLACK COAXLESS AVANT MONITOR
747907	1 WAY INTERCOM KIT + 7 COAXLESS COMPACT MONITOR
749407	1 WAY INTERCOM KIT + 7 HANDSETS
747646	1 WAY INTERCOM KIT + 8 BLACK COAXLESS AVANT MONITOR
747908	1 WAY INTERCOM KIT + 8 COAXLESS COMPACT MONITOR
749408	1 WAY INTERCOM KIT + 8 HANDSETS
747647	1 WAY INTERCOM KIT + 9 BLACK COAXLESS AVANT MONITOR
747909	1 WAY INTERCOM KIT + 9 COAXLESS COMPACT MONITOR
749409	1 WAY INTERCOM KIT + 9 HANDSETS
747648	1 WAY INTERCOM KIT+10 BLACK COAXLESS AVANT MONITOR
747910	1 WAY INTERCOM KIT + 10 COAXLESS COMPACT MONITOR
749410	1 WAY INTERCOM KIT + 10 HANDSETS
747649	1 WAY INTERCOM KIT+ 11 BLACK COAXLESS AVANT MONITOR
747911	1 WAY INTERCOM KIT + 11 COAXLESS COMPACT MONITOR
749411	1 WAY INTERCOM KIT + 11 HANDSETS
747650	1 WAY INTERCOM KIT+ 12 BLACK COAXLESS AVANT MONITOR
747912	1 WAY INTERCOM KIT + 12 COAXLESS COMPACT MONITOR
749412	1 WAY INTERCOM KIT + 12 HANDSETS
747651	1 WAY INTERCOM KIT+ 13 BLACK COAXLESS AVANT MONITOR
747913	1 WAY INTERCOM KIT + 13 COAXLESS COMPACT MONITOR
749413	1 WAY INTERCOM KIT + 13 HANDSETS
747652	1 WAY INTERCOM KIT+ 14 BLACK COAXLESS AVANT MONITOR
747914	1 WAY INTERCOM KIT + 14 COAXLESS COMPACT MONITOR
749414	1 WAY INTERCOM KIT + 14 HANDSETS
747653	1 WAY INTERCOM KIT+ 15 BLACK COAXLESS AVANT MONITOR
747915	1 WAY INTERCOM KIT + 15 COAXLESS COMPACT MONITOR
749415	1 WAY INTERCOM KIT + 15 HANDSETS

DOOR OPENER

auta

DOOR OPENER

	REF.	DESCRIPTION
	720001	DOOR-OPENER MOD. A Automatic. 12V AC
	720002	DOOR-OPENER MOD. AD Automatic with Unlocking. 12V AC
	720003	DOOR-OPENER MOD. N Normal. 12V AC
	720004	DOOR-OPENER MOD. ND Normal with Unlocking. 12V AC
	720008	DOOR-OPENER MOD. A 12VDC Automatic. 12V DC
	720016	DOOR-OPENER MOD. A 24VDC Automatic. 24V DC
	720017	UNIVERSAL DOOR-OPENER ADF/S 10-24V AC/DC Last generation door-release. Small (like switcher box) (with 25,5 mm depth) It's coil works with AC or DC current with a range from 10 to 24 VOLTS.
	721001	ARMOR MOD. G Armor for flush door-opener.
	721004	DOBLE CONTACT To be flushed in the frame of the door. Not visible cables.

SPARE PARTS

auta

FOR PANEL

REF.	DESCRIPTION
509007	AUTA KEY MODULE
509009	KEYPAD + DISPLAY MODULE
509019	KEYPAD + DISPLAY FOR DIRECTORY PANEL
150255	CARDHOLDER PLASTIC GLASS
150260	LCD DISPLAY PLASTIC GLASS
509814	LIGHTING PCB FOR DECOR ENTRY PANEL 12VAC
509830	LIGHTING PCB FOR COMPACT ENTRY PANEL 12VAC
509834	LIGHTING PCB FOR COMPACT ENTRY PANEL 24VDC
509820	ACCESSORIES BAG FOR COMPACT ENTRY PANEL
509826	ACCESSORIES BAG FOR DECOR ENTRY PANEL
509006	DECOR CARDHOLDER
509036	STAINLESS STEEL CARDHOLDER
150316	PLASTIC COVER BOX FOR MODULE OF CONTROL

PUSH-BUTTONS

REF.	DESCRIPTION
080088	STAINLESS STEEL CARDHOLDER
080090	STAINLESS STEEL PUSH-BUTTON (22 MM)
080078	STAINLESS STEEL PUSH-BUTTON (16 MM)
509801	SINGLE PUSH-BUTTON FOR DECOR PANEL
509802	DOUBLE ANALOG PUSH-BUTTON FOR DECOR PANEL
509803	DOUBLE DIGITAL PUSH-BUTTON FOR DECOR PANEL
509804	LIGHTING PUSH-BUTTON FOR DIGITAL DECOR PANEL
509805	LIGHTING PUSH-BUTTON FOR ANALOG DECOR PANEL
509806	AUX LIGHTING DECOR PUSH-BUTTON
509808	SINGLE 2HT DECOR PUSH-BUTTON
509831	COMPACT SINGLE PUSH-BUTTON
509832	COMPACT ANALOG DOUBLE PUSH-BUTTON
509833	COMPACT DIGITAL DOUBLE PUSH-BUTTON

POWER SUPPLY

REF.	DESCRIPTION	
730151	POWER SUPPLY ADAPTOR	160,00

FOR AUDIO MODULES

REF.	DESCRIPCIÓN
509001	DIGITAL DECOR AUDIO MODULE MF-D
509014	DIGITAL DECOR ANALOG AUDIO MODULE MF-2H
509031	VISUALTECH DECOR AUDIO MODULE MF-D 5H
509035	ANALOG DECOR AUDIO MODULE 2HT
509085	ANALOG COMPACT MODULE MF-S
090022	AUDIO GRILL FOR COMPACT ENTRY PANEL
090023	AUDIO/VIDEO GRILL FOR COMPACT ENTRY PANEL
150244	AUDIO GRILL FOR DECOR ENTRY PANEL

FOR AUDIO/VIDEO MODULES

REF.	DESCRIPTION
509004	DECOR COLOR VIDEO MODULE 900 MV-S
509005	DECOR COLOR COAX VIDEO MODULE MV-D
509011	DECOR COLOR COAXLESS VIDEO MODULE MV-D
509086	COMPACT AUDIO/VIDEO MODULE MF-S
509087	COMPACT AUDIO/VIDEO MODULE AV-900 MF-S
509061	COMPACT COLOR CAMERA
509082	COMPACT COLOR CAMERA WIRE ANGLE
100020	LENS GLASS FOR COMPACT CAMERA
150218	LENS GLASS FOR DECOR CAMERA

HANDSETS

REF.	DESCRIPTION
507020	DIGITAL DECOR HANDSET ONLY
507025	ANALOG DECOR HANDSET ONLY
507038	SILVER COMPACT HANDSET ONLY
507040	COMPACT HANDSET ONLY
507050	2HT COMPACT HANDSET ONLY
507055	COMPACT INTERCOM WITH DISPLAY HANDSET ONLY
507066	COMPACT INTERCOM W/O DISPLAY HANDSET ONLY
020025	HANSET RIBBON WITH CONNECTORS

GENERAL
CONDITIONS

auta

GENERAL CONDITIONS

■ PURCHASE ORDERS

Orders must be faxed to +34 961665286 or emailed to export@auta.es

■ DELIVERY TERMS

Standard material: 1 week after the reception of the purchase order
Stainless Steel items: 3 weeks after the reception of the purchase order

■ RETURNS

Returns would be accepted when delivery mistake. The returns will not be credited upon reception. All the returns will be inspected upon arrival. They shall be returned with its original packaging

■ WARRANTY

All items are allowed with 2 years warranty. The warranty covers the manufacturing defects only. In case of improper use, wrong installation or incorrect voltage AUTA is excluded of any responsibility on direct or indirect damages. The warranty is limited to material restitution

■ TECHNICAL ASSISTANCE SERVICE

Our technical assistance service is able to give advice at any time. They also do special drawings based on installation. Contact to tecnico@auta.es

■ RESERVES

Auta comunicaciones, s.l. has the right to modify technical characteristics as well as the price list without prior notice.

■ ACCEPTANCE

The Purchase Order will be considered as the fully acceptance of the General Conditions.





auta

Auta Comunicaciones S.L.
Calle C s/n. Pol. Ind. El Oliveral
46394 Riba-Roja (Valencia)
Tel. +34 961 643 02 / Fax. +34 961 665 286
e-mail: auta@auta.es
www.auta.es