

Auto Onex

IP SIP SYSTEM

IP SIP SYSTEM

onex

Technology,
usability and design
in equilibrium

AUTA ONEX IP is a full IP system based on IP SIP technology. Its extensive functionality, meticulous component design, and advanced technology make it an innovative, versatile, and attractive solution, perfectly balancing technical performance and aesthetics. Easy to install, highly flexible, and with a large device capacity, it incorporates HD video and digital audio for top-quality communication.



System components




**ENTRY PANEL
AUTA ONEX IP
SIP DM PRO**

Entry panel with touch screen with DUAL proximity reader MiFare_EM



**ENTRY PANEL
AUTA ONEX IP
SIP DM+**

Entry panel with keypad with DUAL proximity reader MiFare_EM



**ENTRY PANEL
AUTA ONEX IP
SIP DM P**

Street panel with a push button with DUAL proximity reader MiFare_EM



**MONITOR
AUTA ONEX IP
SIP DM M**

Monitor with 7" touchscreen



**CONCIERGE UNIT
AUTA ONEX IP
SIP DM C**

Concierge unit with 10" touchscreen

Characteristics


- > Compatible with **SIP 2.0** technology.
- > Enables integration with third-party systems and direct calling to mobile devices.
- > Devices are compatible with standard 48V PoE.
- > Remote management app based on the SIP protocol.
- > Multilingual system (Spanish, English, Portuguese, and French).
- > Outdoor panels with high dust and water resistance. Operating range from -40°C to +70°C.
- > Automatic image capture during calls.
- > Intercom between terminals within the same dwelling.
- > Intercom between dwellings.
- > Ability to redirect calls to another point in the installation.
- > Notification broadcast system.
- > Door status monitoring upon opening.
- > Proximity reader with MiFare_EM technology integrated into the panels.
- > Elevator system control.
- > Home alarm system control.
- > Panic alarm.

IP SIP SYSTEM **onex**

Specifications

Wiring	UTP CAT5_6 + 2 power wires on the street panel if the lock needs power
SIP 2.0	System compatible with SIP 2.0 technology. This allows integration with third-party devices (KNX, PBX, ...)
N° maximum of sections	99
N° maximum of buildings	Up to 999
N° maximum entry panels per building	99 per building
N° maximum of housings	9899
N° maximum of concierge units	50
N° maximum of external entry panels	99
Maximum distance	No limit
Facial recognition	Yes
Monitor programming	IP auto-assigned (DHCP) or manual
Call structure	N° building / housing - N° building / section / housing
Direct call to mobile	Possibility of making direct calls to mobile terminals in those installations where cabling is not feasible
Voice message / text	Option to send multiple messages to homes (notifications, alarms, ...)
Access control integration	Yes. MIFARE_EM readers integrated into entry panels. Wiegand protocol
CCTV integration	RTSP video stream from the street panel. Viewing IP CCTV cameras from the monitor

Structure



IP SIP SYSTEM **onex**

Components

Universal, minimalist y tactile


Designed for comfortable and dynamic use, the Auta Onex IP SIP DM M monitor features a minimalist and functional design adaptable to any space, with a contemporary and elegant aesthetic. Compatible with the **Tuya SMART** app, give you remote control of your home anytime, anywhere.

7" screen with touch technology

it allows the user easy and intuitive operation. Full duplex hands-free communication system.

Auta ONEX IP SIP monitors support standard 48V PoE power supply,

this means it uses standard 48V PoE switch power and does not require a dedicated power supply.




MONITOR auta onex IP SIP



In addition to answering calls to the home, it also allows you to manage missed calls, view image captures, read messages received by the administrator, view auxiliary cameras, notify alarms on the monitor/concierge and the possibility of managing the security system in the home.



The "Panic" function allows you to send a panic call to the concierge unit.



High technology and minimalism

The Auta Onex IP SIP DM PRO entry panel incorporates a minimalist and innovative design, with a high-definition WDR camera, large touch screen and multiple advanced access control systems.



Touch LCD screen

- > 8" TFT touch screen with high contrast and multi-function.



Color HD camera with 2.0 Mpx

- > The camera features high-definition imaging with high-brightness LED illumination and WDR.



Compatible with SIP 2.0 protocol

- > Easy integration with third-party systems such as KNX, PBX, ...
- > Maximum security.




Direct call to mobile

- > Our ONE IP SIP entry panel allows direct calls to mobile terminals.
- > Single lifetime license.



Facial recognition

- > Backlit screen with proximity sensor. The screen lights up when you approach.
- > High protection against dust and water.



Access control

- > Integrated MiFARE_EM dual proximity access control reader.
- > Access control using numeric code.
- > Access control via QR code.
- > Door status monitoring with alarm notification.



Unibody aluminum frame

Dimensions:

Entry panel: 140 x 300 x 38 mm

Flush box: 134 x 296 x 46 mm



DISCOVER MORE



Great features and security

The Auta Onex IP SIP DM+ entry panel integrates the most innovative set of features, with a high-definition WDR camera, backlit digital keypad and multiple advanced access control systems.



Touch LCD screen

- > 4.3" TFT screen with high contrast and multi-function.



Color HD camera with 2.0 Mpx

- > The camera features high-definition imaging with high-brightness LED illumination and WDR.




Compatible with SIP 2.0 protocol

- > Easy integration with third-party systems such as KNX, PBX, ...
- > Maximum security.



Direct call to mobile

- > Our ONE IP SIP entry panel allows direct calls to mobile terminals.
- > Single lifetime license.



Digital keyboard with high level of protection

- > Backlit keyboard with proximity sensor. The keys light up when you approach.
- > High protection against dust and water.



Access control

- > Integrated MiFARE_EM dual proximity access control reader.
- > Access control using numeric code.
- > Access control via QR code.
- > Door status monitoring with alarm notification.

Unibody aluminum frame

Dimensions:
Entry panel: 133 x 295 x 40 mm
Flush box: 124 x 290 x 56 mm

IP **SIP** SYSTEM
onex

Components

ENTRY PANEL
auta onex IP SIP

PUSH-BUTTON

An attractive design and resistant

The Auta Onex IP SIP DM P entry panel combines performance, versatility, modernity and aesthetics, with extra protection features against external elements and state-of-the-art technological accessories.



Direct call
to mobiles.



SIP 2.0
compatibility



High protection
against water and dust.



Access control

> Integrated MiFARE_EM dual
proximity access control
reader.



Color HD camera with
2 Mpx

> The camera features high-definition imaging with
high-brightness LED lighting.



Unibody aluminum frame

Dimensions:
Entry panel: 88 x 167 x 28 mm





It has a function to open all the doors of the complex in case of emergency.

Centralized and global control

The Auta central guard porter Onex IP is a desktop device that allows communication with any entry panel or flat other functions for a comprehensive and simple control of access security.



The central can receive and control the status of the neighborhood community, receiving alarms, calls. It also allows communication with other centrals in the facility.

Vigilance and security

Thanks to its user interface, it is possible to see any missed call or panic call and call back to the flat.



Ergonomically designed for friendly use, the Auta Onex IP concierge unit integrates a **large 10.1" touch screen and capacitive buttons** to interact with it intuitively.

Total control

Possibility of controlling Auta Onex IP panels and CCTV cameras integrated in the installation.

Ease of communication


DUAL audio system, allows handsfree and handset communication.



SIP 2.0 compatibility



Built-in Pinhole camera.



Measures in mm.



The Auta Onex IP system integrates the function of managing online access to a home from mobile devices through Tuya SMART APP for iOS and Android, available on Google Play and Apple Store for free.

The application allows you to receive calls to a building remotely, interact through street panels or guard units and approve access with ease and security, without the need for complex installations or additional devices.

Connect the Auta Onex IP monitor, link the monitor to the Wi-Fi network, download the Tuya SMART APP, enter your credentials and start enjoying the freedom of a new connected, mobile and easier era.

FREE APP

Available for iOS and ANDROID



IP SIP SYSTEM onex



PANEL ONEX
IP SIP DM+



PANEL ONEX
IP SIP DM PRO



PANEL ONEX
IP SIP DM P



MONITOR ONEX
IP SIP DM M



GUARD UNIT ONEX
IP SIP DM C

REF.

660050

660051

660052

751008

751009

760102

716003

DESCRIPTION

ENTRY PANEL ONEX IP SIP DM+

ENTRY PANEL ONEX IP SIP DM PRO

ENTRY PANEL ONEX IP SIP DM P

MONITOR ONEX IP SIP DM M

MONITOR ONEX IP SIP DM M Wi-Fi

GUARD UNIT ONEX IP SIP DM C

POWER SUPPLY UNIT ALV-2A 12 VDC 2A

auta