

auta

ANALOG



REF. 749543

ES KIT 2HT

EN 2HT KIT

PT KIT 2HT

FR KIT 2HT

auta


Bringing people together

Elementos en el kit Elements in the kit

ítems no kit Éléments dans le kit




x1



x1



x1




x1



x1

Características Features

Caraterísticas Caractéristiques




● **Altavoz** Alto-falante
Speaker Haut-parleur

● **Micrófono** Microfone
Microphone Microphone

● **Pulsador de llamada** Botão de chamada
Call push-button Bouton d'appel

● **Tarjetero de información** Cartão de informação
Information cardholder Carte d'information



● **Orificios de fijación** Orifícios de fixação
Placement holes Trous de fixation

● **Volumen de audio en placa** Volume de áudio a placa
Panel audio volume Volume audio à panneau

● **Volumen de audio en vivienda** Volume de áudio na moradia
Flat audio volume Volume audio dans le boîtier

● **Conexiones** Connections **Conexões** Les connexions

	Terminal 1, positivo pulsador de llamada
	Terminal 2, negativo pulsador de llamada
Ai	Audio
C	Común
	Terminal 1, cerradura (12 Vca)
	Terminal 2, cerradura (12 Vca)

Terminal 1, positive
call push-button
Terminal 2, negative
call push-button

Audio

Common

Terminal 1, lock
(12 Vac)

Terminal 2, lock
(12 Vac)

Terminal 1, positivo
botão de chamada
Terminal 1, positif
bouton d'appel

Terminal 2, negativo
botão de chamada
Terminal 2, négatif
bouton d'appel

Áudio

Comum


Terminal 1, trava
(12 Vca)
Terminal 1, serrure
(12 Vca)

Terminal 2, trava
(12 Vca)
Terminal 2, serrure
(12 Vca)

● **Soporte de apoyo para caja de empotrar**
Hook support for mounting box

Supporte de supporte para caixa embutida
Support de support pour boîtier encastré


Montaje Mounting



Colocar caja de empotrar
Place mounting box
Coloque a caixa embutida
Placez la boîte encastrée

Colocar caja de superficie
Place surface box
Coloque a caixa de superficie
Place surface box

1



Conectar el cableado
Connect the wiring
Conecte o cabos
Connecter le câblage

2



3


Cerrar la placa realizando una curva inferior con el cableado
Connect the panel doing a lower curve with the wiring
Feche a placa fazendo uma curva mais baixa com a fiação
Fermer la plaque en faisant une courbe inférieure avec le câblage

Colocar información en el tarjetero


Place information in the cardholder

Coloque as informações no titular do cartão


Placez les informations dans le titulaire de la carte



1




2



3

Instalación Installation



Instalação L'installation

ELEMENTOS UNITS	ATF-12 (715503)
	1 principal (700805) 1 main (700805)
LLAMADA SIMULTANEA SIMULTANEOUS CALL	3 extensión (700905) 3 extension (700905)

SECCIONES WIRING SECTIONS	HASTA 100m UP TO 100m
C Ao	2 mm AWG15
12 Vac 	1 mm AWG17
EL CABLEADO NO DEBE PASAR CERCA DE LA LINEA ELÉCTRICA WIRING MUST NOT BE RUN CLOSE TO THE ELECTRICAL LINE	